

PROJECT 10073 RECORD CARD

1. DATE 25 Oct 63		2. LOCATION Sioux City, Iowa		12. CONCLUSIONS <input type="checkbox"/> Was Balloon <input type="checkbox"/> Probably Balloon <input type="checkbox"/> Possibly Balloon <input checked="" type="checkbox"/> Was Aircraft <i>Refueling</i> <input type="checkbox"/> Probably Aircraft <input type="checkbox"/> Possibly Aircraft <input type="checkbox"/> Was Astronomical <input type="checkbox"/> Probably Astronomical <input type="checkbox"/> Possibly Astronomical <input type="checkbox"/> Other <input type="checkbox"/> Insufficient Data for Evaluation <input type="checkbox"/> Unknown	
3. DATE-TIME GROUP Local 10 Min Prior to Sunset GMT 23/2400Z		4. TYPE OF OBSERVATION <input type="checkbox"/> Ground-Visual <input checked="" type="checkbox"/> Air-Visual <input type="checkbox"/> Ground-Radar <input type="checkbox"/> Air-Intercept Radar			
5. PHOTOS <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		6. SOURCE CIVILIAN (REDACTED)			
7. LENGTH OF OBSERVATION 25 Minutes		8. NUMBER OF OBJECTS one		9. COURSE Maneuvered	
10. BRIEF SUMMARY OF SIGHTING Reilly Bates Case. KC-135 refueling in area. Object appeared to "loom" and then disperse into 10-20 objects. Then appeared as dot moving away from observers a/c. 10 minutes later reappeared approaching observers a/c. Sighting to West at sunset. Object appeared as KC-135 with drogue. Not clear and distinct. No unusual atmospheric conditions could be determined from WX data available.				11. COMMENTS "Looming" phenomena of KC-135 in area to West approximately 50 miles away.	

point where it became hard to maintain visual contact. Contact would be lost momentarily, and then, regained again only after an intense search of that particular area of the sky, when a tiny black speck could be seen. This black speck was much like a jet being observed at the maximum distance, high in the sky. The elevation was still about 4° above the horizon.

The black speck seemed to remain stationary and quite out of our range so, we took up a N-NE course for Mitchell once again. After two or three minutes, Bates looked over his left shoulder and noted that the black speck was becoming larger and, immediately changed course to head directly toward the black speck, which continued to close, or become larger. As the size increased, ~~he~~ fancied he saw flickering red and green lights along the upper surface. Reilly could not substantiate this. The lights, if any, were of such low intensity and duration as to be extremely difficult to see. At this point, there was excitement in the cockpit and Bates is unsure about the lights.

As the object continued to approach or grow larger, the splitting action was observed again, and the tiny drogue began to grow and the main body diminished until it was gone. We were unable to approach as closely on this encounter as previously, and the case had the appearance of a DC-3 at three-quarter's of a mile. Continuing on a course directly for the object, it was observed to break up into perhaps 12 separate and distinct pieces, which seemed to materialize just below

the original mass and then, the pieces seemed to speed away from us at a rapid rate. Once again, the tiny black speck was noted in the twilight, on approximately the same true bearing, 255° , as it had originally been observed. Visibility at that altitude was still very good, although the time was now about 15 minutes past sunset. When the black speck appeared to remain stationary, our course was altered to NE, or 045° , and the 25 to 30 minute encounter was ended.

LOCAL MEAN TIME OF SUNSET AND END OF ASTRONOMICAL
TWILIGHT—MERIDIAN OF GREENWICH

Date	Lat.	0°	+10°	+20°	+30°	+35°	+40°	+45°	+50°	+52°	+54°	+56°	+58°	+60°
SUNSET (UPPER LIMB)														
Oct.	2	17 53	17 50	17 48	17 45	17 44	17 42	17 40	17 38	17 37	17 36	17 35	17 33	17 32
	7	17 51	17 48	17 44	17 39	17 37	17 34	17 31	17 27	17 26	17 24	17 22	17 19	17 17
	12	17 50	17 45	17 39	17 33	17 30	17 26	17 22	17 17	17 14	17 12	17 09	17 06	17 02
	17	17 49	17 42	17 36	17 28	17 24	17 19	17 13	17 06	17 03	17 00	16 56	16 52	16 48
	22	17 48	17 40	17 32	17 23	17 18	17 12	17 05	16 57	16 53	16 49	16 44	16 39	16 33
Nov.	27	17 47	17 38	17 29	17 18	17 12	17 05	16 57	16 47	16 43	16 38	16 32	16 26	16 19
	1	17 47	17 37	17 26	17 14	17 07	16 59	16 49	16 38	16 33	16 27	16 21	16 14	16 06
	6	17 47	17 36	17 24	17 10	17 02	16 53	16 43	16 30	16 24	16 18	16 10	16 02	15 53
	11	17 48	17 35	17 22	17 07	16 58	16 48	16 36	16 22	16 16	16 09	16 01	15 52	15 41
	16	17 48	17 35	17 20	17 04	16 54	16 44	16 31	16 16	16 08	16 00	15 52	15 42	15 30
Dec.	21	17 49	17 35	17 19	17 02	16 52	16 40	16 26	16 10	16 02	15 53	15 44	15 33	15 20
	26	17 51	17 35	17 19	17 01	16 50	16 37	16 23	16 05	15 57	15 48	15 37	15 25	15 11
	1	17 53	17 36	17 19	17 00	16 49	16 36	16 20	16 02	15 53	15 43	15 32	15 19	15 04
	6	17 55	17 38	17 20	17 00	16 48	16 35	16 19	15 59	15 50	15 40	15 28	15 14	14 58
	11	17 57	17 40	17 22	17 01	16 49	16 35	16 18	15 58	15 49	15 38	15 26	15 11	14 54
	16	17 59	17 42	17 23	17 02	16 50	16 36	16 19	15 58	15 49	15 38	15 25	15 10	14 53
	21	18 01	17 44	17 25	17 04	16 52	16 38	16 21	16 00	15 50	15 39	15 26	15 11	14 54
	26	18 04	17 47	17 28	17 07	16 55	16 40	16 24	16 03	15 53	15 42	15 29	15 15	14 57
	31	18 07	17 49	17 31	17 10	16 58	16 44	16 27	16 07	15 57	15 46	15 34	15 20	15 03
	36	18 09	17 52	17 34	17 14	17 02	16 48	16 32	16 12	16 03	15 52	15 40	15 26	15 10

END OF ASTRONOMICAL TWILIGHT

Oct.	2	19 02	19 00	19 01	19 04	19 08	19 12	19 18	19 26	19 30	19 35	19 40	19 45	19 53
	7	19 00	18 58	18 57	18 55	19 01	19 04	19 08	19 14	19 18	19 22	19 26	19 30	19 36
	12	18 59	18 55	18 52	18 52	18 54	18 56	18 59	19 04	19 06	19 10	19 13	19 17	19 21
	17	18 59	18 52	18 50	18 48	18 48	18 49	18 51	18 53	18 55	18 58	19 00	19 03	19 07
	22	18 58	18 51	18 46	18 43	18 42	18 42	18 43	18 45	18 46	18 47	18 48	18 50	18 52
Nov.	27	18 57	18 49	18 43	18 38	18 37	18 36	18 36	18 36	18 36	18 37	18 37	18 38	18 40
	1	18 58	18 49	18 41	18 35	18 33	18 31	18 28	18 27	18 27	18 27	18 28	18 28	18 28
	6	18 58	18 48	18 39	18 31	18 28	18 25	18 23	18 20	18 20	18 19	18 18	18 18	18 17
	11	19 00	18 48	18 38	18 29	18 25	18 21	18 17	18 14	18 13	18 12	18 11	18 10	18 08
	16	19 01	18 48	18 36	18 27	18 21	18 18	18 13	18 09	18 06	18 05	18 04	18 02	18 00
Dec.	21	19 02	18 49	18 36	18 25	18 20	18 15	18 09	18 04	18 02	17 59	17 58	17 56	17 53
	26	19 05	18 49	18 36	18 25	18 19	18 12	18 07	18 01	17 58	17 56	17 53	17 50	17 47
	1	19 07	18 51	18 37	18 24	18 18	18 12	18 05	17 59	17 56	17 53	17 50	17 47	17 43
	6	19 10	18 53	18 38	18 25	18 18	18 12	18 05	17 57	17 54	17 51	17 48	17 44	17 40
	11	19 12	18 55	18 40	18 26	18 19	18 12	18 04	17 57	17 54	17 50	17 47	17 42	17 38
	16	19 14	18 57	18 42	18 27	18 21	18 14	18 06	17 57	17 55	17 51	17 47	17 43	17 39
	21	19 16	18 59	18 44	18 30	18 23	18 16	18 08	18 00	17 56	17 53	17 48	17 44	17 40
	26	19 19	19 02	18 47	18 32	18 26	18 18	18 11	18 02	17 59	17 55	17 51	17 48	17 43
	31	19 22	19 04	18 50	18 35	18 29	18 21	18 13	18 06	18 02	17 59	17 56	17 52	17 48
	36	19 24	19 07	18 52	18 39	18 32	18 25	18 18	18 10	18 08	18 04	18 00	17 56	17 53

SOUTHERN LATITUDES (April to July)

For dates on first line *below*, enter tables above with dates on second line,
and apply the correction (in minutes) given on the third line.

Date	Apr. 3	9	14	19	24	Apr. 29	May 4	9	14	20	25	May 30	June 4	10	15	21	26	July 1	7
Use	Oct. 7	12	17	22	27	Nov. 1	Nov. 6	11	16	21	26	Dec. 1	Dec. 6	11	16	21	26	Dec. 31	36
Apply	+15	+15	+15	+15	+14	+14	+13	+13	+12	+11	+10	+9	+7	+6	+5	+4	+2	+1	0

HEADQUARTERS
FOREIGN TECHNOLOGY DIVISION
AIR FORCE SYSTEMS COMMAND
UNITED STATES AIR FORCE
WRIGHT-PATTERSON AIR FORCE BASE, OHIO



REPLY TO
ATTN OF: TDEW/Capt Quintanilla/69216

SUBJECT: Request for Information on Refueling Operation

15 JAN 1964

TO: Commander
28th Bomb Wing
Ellsworth, South Dakota, 57706

Request information regarding possible use of USAF High Altitude Refueling Area, High Life, on the evening of 25 Oct 63, about 1845 local time. Information desired is to assist in evaluation of a UFO report under AFR 200-2.

FOR THE COMMANDER

Eric T de Jonckheere
ERIC T de JONCKHEERE
Colonel, USAF
Deputy for Technology
and Subsystems

1st Ind (28DCOTPS)

23 JAN 1964

Hq 28 Bomb Wing (SAC), Ellsworth AFB, SDak

TO: Hq, Foreign Technology Division, Wright-Patterson AFB, Ohio

Records indicate KC-135, #3104 and B-52, #066, departed the High Life Refueling Area at 1720 Local, 25 Oct 63. No other aircraft scheduled into this area until 28 October 63.

John R Hinton, Jr
JOHN R HINTON, JR
LtCol, USAF
Deputy Commander for Operations

HEADQUARTERS
FOREIGN TECHNOLOGY DIVISION
AIR FORCE SYSTEMS COMMAND
UNITED STATES AIR FORCE
WRIGHT-PATTERSON AIR FORCE BASE, OHIO



REPLY TO
ATTN OF: TDEW/Capt Quintanilla/69216

SUBJECT: Request for Information on Refueling Operation

30 JAN 1964

TO: 28th Bomb Wing (28 DCOTPS)
Ellsworth, South Dakota, 57706

1. Reference is made to your 1st indorsement, 23 Jan 64, to our letter, TDEW, 15 Jan 64, subject as above. Specific information is needed in order to complete our evaluation. Give inclusive times, altitudes and profile in latitude and longitude of KC-135 #8104 and B-52 #066 while in the immediate area or in the "High Life" area. Please give all available times, locations and altitudes. Report can be classified SECRET if warranted. Would also appreciate the respective organizations and aircraft Commander's names if available.

2. We believe that a rare phenomena called "Lining" occurred on 25 Oct 63 and that a KC-135 #8104 and B-52 #066 were involved. Two experienced Bonanza pilots reported what they believed to be a refueling operation with a KC-135 involved. The pilots could distinguish the features of the KC-135 and could even identify the drogue; however, the closest KC-135 was #8104 and it was located approximately 120 nautical miles from the observer. Possible? Yes, under ideal weather conditions this is possible.

FOR THE COMMANDER

Eric T. Jonckheere
ERIC T. JONCKHEERE
Colonel, USAF
Deputy for Technology
and Subsystems

Ltr, Hq, Foreign Technology Div, 30 Jan 64


1st Ind (28DCOTPS)

8:1 FIP 1001

Hq, 28 Bomb Wing (SAC), Ellsworth Air Force Base, SDak

TO: Foreign Technology Div (TDEW)

Kc-135 #8104 and B-52 #066 were in contact from 25/2357Z at 42-50N, 105-12W to 26/0019Z at 44-08N, 101-32W. The refueling altitude was 29,000 Ft. The aircraft commanders of #0104 and #066 were Captain Gardner M Watkins, and Captain Charles W Holmes, respectively. Both are members of the 28th Bomb Wing.



JOHN R HINTON, JR

LtCol, USAF

Deputy Commander for Operations

See preceding tabulation for information regarding Entrance and Exit Reporting Points and for specified operational altitudes.

See preceding Validation for information regarding Entrance and Exit Reporting Points and for specified operational altitudes.



CHAPTER 1

USAF HIGH ALTITUDE REFUELING AREAS

1. Purpose. To provide SAC crews and operations planning staffs with complete information concerning the high altitude refueling areas. Effective utilization of this information will permit air refueling to be conducted with a minimum of planning and will insure maximum utilization of air-space.

2. Concept of Operation:

a. Except as specified in the following paragraph, all SAC high altitude refueling operations will be confined to the published high altitude refueling areas within the Continental Control Area. These areas have been established as reserved airspace. During a scheduled refueling period, other IFR assigned altitude traffic will not be cleared by FAA through an active refueling area unless the refueling aircraft and the aircraft proposing to traverse the area can be provided radar separation and two-way radio contact is maintained with the aircraft involved and an FAA facility. VFR and IFR-VFR-on-top traffic may traverse the area; however, they are responsible for providing their own separation visually.

b. The following procedures have been established to warn VFR and VFR-on-top traffic of all refueling operations:

(1) The areas are published in the Airman's Guide and USAF Aeronautical Publications. The description of the high altitude refueling areas published in the Airman's Guide will be considered the official document. Changes appearing in the Airman's Guide are automatic pen and ink revisions to SACM 55-14. Periodic revisions to this manual will reflect the current data in the Airman's Guide.

(2) FAA Flight Service Stations include in scheduled broadcasts the fact that air refueling is being conducted in specified areas.

(3) FAA Flight Service Stations issue flight advisory information to VFR traffic known to be operating in the vicinity of active refueling areas.

c. It is recognized that certain essential training and tactical requirements such as large scale missions and no-notice exercises cannot in all cases be confined within the established areas, either in time, altitude, or location. These missions will be held to the absolute minimum and requests for waiver will be approved by this headquarters only on an individual basis in accordance with the following:

(1) Missions will utilize the established areas expanded as required in preference to wholly new areas.

(2) Missions will be conducted on altitude reservation flight plans.

(3) Only priority #7 missions, as defined in SACM 55-3, or higher will be approved. When approved, this headquarters will validate the requirement to CARF.

3. Scheduling Procedures. Controlling agencies of refueling areas will closely monitor the tracks/headings being utilized to insure safe separation between refueling operations. Receiver aircraft

will not enter the area unless radio or electronic rendezvous equipment contact has been established with the respective tanker. The following ground rules are established for the tanker aircraft:

a. Normal Procedures. A complete daily refueling schedule for each refueling area shall be submitted by the scheduling units at an agreed time to the assigned ARTC Centers 24 hours in advance. The schedule will contain the following data on each tanker and receiver aircraft: Identification, type, estimated time of entry at entrance point, flight levels to be used, estimated time of exit, and exit point. This information will be forwarded via the most convenient and expeditious military or FAA circuit available.

(1) Normally only one group of published flight levels, 240-290 or 310-340, will be scheduled for concurrent use in the same area. Whenever possible, the top altitude of the upper group should be established as 330 to permit other enroute utilization of flight level 350.

(2) Each refueling area will have a specific military unit assigned the responsibility for the scheduling of all refueling activity within that area. An FAA ARTC Center will be assigned the responsibility for coordination with each scheduling unit.

(3) Military units, when flight-planning an altitude reservation that will traverse a published refueling area, will be required to obtain approval from the scheduling unit and will so indicate in the Remarks section of the altitude reservation request. CARF will take action to re-route altitude reservations which do not indicate that approval has been obtained to transit the refueling area. The scheduling unit will insure that the daily refueling schedule does not contain refueling operations which conflict with the approved altitude reservation.

(4) The scheduling unit will notify the assigned ARTC Center of subsequent cancellations as soon as this information is available.

(5) The FAA will consider the tanker and receiver aircraft as one aircraft from point of hookup to point of breakoff for position reporting and separation purposes. The ARTC Centers will, when required, clear other IFR traffic at assigned flight levels through published refueling areas, provided such IFR traffic can be separated by use of ANC or radar separation standards.

(6) The FAA will reserve only those flight levels in the refueling area that are requested in advance through the SAC controlling unit. The flight plans submitted by the refueling units must contain the same flight levels. The flight levels approved by FAA are IFR hard altitude assigned flight levels. Do not use IFR/VFR-on-top flight plan in the high altitude refueling areas.

b. For Single and Dual Track Areas:

(1) Tanker aircraft will not be scheduled to enter the areas at designated entry points at intervals less than one hour. To provide a degree of flexibility for unforeseen conditions, a pad of plus or minus 10 minutes to the scheduled entry time may be provided; however, the area will not be entered prior to the scheduled operational time of the first aircraft.

NOTE: For special missions directed by the parent numbered air force, the time interval may be reduced.

(2) If the tanker aircraft is orbiting at the air refueling control point and the receiver aircraft does not arrive within plus or minus 10 minutes of the scheduled refueling time, the tanker will either depart on the refueling track to exit at the designated exit point or will obtain a revised ARTC clearance and exit the area, avoiding the rendezvous areas. It is imperative that timing be maintained within this limit or a conflict will exist with subsequent refueling formations.

c. Special Procedures for Dual Track Areas:

(1) Since reciprocal refueling tracks are established within dual track areas, aircraft may be scheduled to complete refueling on one track, cross over to the other track prior to exiting the area, and continue refueling in the opposite direction. If this concept is utilized, aircraft will hold at the exit end of the first refueling track, within the published area, and depart the holding area to make good the next scheduled area entry time at the ARCP for opposite direction refueling. It is imperative that scheduling agencies closely monitor this operation. Tankers will not utilize the cross-over procedure unless previously scheduled for the opposite track.

(2) Both tracks in a dual track refueling area may be utilized for refueling in the same or opposite direction (parallel refueling operation) provided all aircraft concerned are briefed on the refueling being conducted on the adjacent track. Simultaneous use of both tracks is not authorized when cross-over to reverse track is scheduled.

(3) While crossing over to the opposite track, the communications will be switched to the appropriate communications-rendezvous plan as defined in Annex I, SACM 100-24, for the opposite track.

(4) Altitude reservation missions are not limited to area entry times and ARCP departure timing described above; however, refueling aircraft formations on the same track will be separated by a minimum of 30 minutes.

4. Priority. The peacetime FAA-JCS Air Traffic Control priorities as defined in SACM 55-3 do not apply to activity in high altitude air refueling areas. During periods of operation, the high altitude refueling areas have the same status as altitude reservations. Permission to traverse the area on IFR or altitude reservation flight plans must be obtained prior to takeoff from the refueling area controlling agency. The controlling agency must, in turn, advise the Central Altitude Reservation Facility (CARF) when the area, or specified altitudes within the area, are cleared to allow a conflicting altitude reservation to operate. Higher headquarters have the authority to grant priority for certain exercises over the normal training. Numbered air forces may clear those areas controlled by agencies under their command jurisdiction. Headquarters SAC clears all areas in which SAC executed missions conflict with the refueling areas. Agencies with responsibilities for planning missions must take cognizance of these refueling areas. The command post of the controlling agency will cancel with CARF all scheduled periods which will not be utilized, except short periods which are due to aborts. Aircraft aborting either on the ground or in the air will call the command post of the controlling agency. In the air, the numbered Air Force short order stations and telephone patch will be utilized. "Bootleg" aircraft may then contact the controlling agency by the same method for possible use of these periods.

5. MARSA. The military assumes responsibility for separation of aircraft within the high altitude refueling areas. The FAA will provide a buffer zone free from IFR traffic around the refueling areas (except for radar monitored flights) but will make no attempt to provide separation between aircraft within the area. Consequently, permission from FAA to extend refueling operations over and above a unit's allotted portion of the daily schedule within the daily time block does not mean that separation is being provided. Only strict adherence to the schedule within the ground rules provided in this manual will insure the safe conduct of the air refueling operations. MARSA between tanker/receiver will be indicated in the Remarks section of the SAC Form 121 or AF Form 175, as appropriate, for both tanker and receiver.

OFFICIAL FILE COPY

FED (TDEW/UFO)
Wright-Patterson AFB, Ohio
29 Jan 64

Dr J Allen Hynek
2623 Ridge Avenue
Evanston, Illinois

Dear Allen,

Have good news on the 25 Oct 63 sighting of [REDACTED] and [REDACTED]. Refueling operations were conducted in the "High Life" refueling area. There is some discrepancy in the time reported. However, since the prior report indicated that the observation was 10 minutes before sunset I felt that this was a better guide than the stated time. I am enclosing an extract of Sunset and Twilight times from the Ephemeris. With the reported altitude of [REDACTED] and [REDACTED] you can no doubt figure this closer than we can. I have also attached portions of SAC Manual 55-14 which gives the refueling procedures for high altitudes and that portion pertaining to "High Life". ONC-306 and 307 cover this area as well as all geographic locations mentioned in their report. Also enclosed is a copy of the FAA report and Mr [REDACTED] letter. The weather data from Asheville, North Carolina has been ordered and will be forwarded upon arrival.

I thought this might be a good case on which to write a case summary, not necessarily for general release but for our files. Would it be possible for you to do this since the figures concerned with sunset, twilight, distance to refueling area, altitude of the pilot's aircraft, altitude of the air refueling operations aircraft, etc, are quite involved. I am sure that your figures would be much more exact than mine. Therefore, I would appreciate it if you would write up some sort of a summary which includes the geometry of the situation assuming that a "looming" phenomena of the refueling aircraft was the cause of the sighting.

We have completed duplicating the cases from the first nine months of 1963 and should have this portion of the project completed by next weekend. Miscellaneous information including maps of the refueling areas, for the committee, have been forwarded in a separate envelope.

Have fun!

DAVID H MOODY
TSCT, USAF
Aerial Phenomena Branch

6. Right-of-Way. Civil Air Regulations, Part 60, paragraph 60.14(b), was amended on 15 Feb 60 to give refueling aircraft the same right of way as aircraft being towed.

7. Tactical Doctrine. The SAC Tactical Doctrine will be complied with to the maximum extent. Deviations are authorized when it is necessary to comply with the USAF-FAA agreements reflected in this manual.

8. Flight Levels. Flight levels indicated as operational altitudes are inclusive. Special care must be exercised when using flight level 240, as it is not authorized as an operational level. The tanker crew will be required to secure the best available altimeter setting for the refueling area and assure that refueling operations are not conducted below 24,000 feet MSL.

9. Altitude Clearance. Operations other than refueling will avoid active refueling areas by at least 1,000 feet above or below the published altitudes, except for flight levels above 290, which require 2,000 feet altitude separation.

10. RBS Activity. Aircraft engaged in RBS activity VFR or VFR-on-top adjacent to a high altitude refueling area at altitudes which conflict with the refueling operation will avoid the refueling area by at least 15 nautical miles during the periods of time the refueling area is active.

11. Manual Changes. The procedures contained in this chapter are directive in nature. The refueling areas have been implemented by a formal agreement between USAF and the FAA. Changes to the refueling areas will appear in the Airman's Guide with subsequent changes to this manual. INFORMATION CONTAINED IN THE AIRMAN'S GUIDE TAKES PRECEDENCE OVER THIS MANUAL. Simultaneous publication of a formal change to this manual with the effective date of the change in the Airman's Guide is not possible. The briefing officer will be responsible for briefing the changes to the refueling areas as they become effective in the Airman's Guide. The following procedures will be followed to coordinate changes to existing areas or initiate action to coordinate new areas:

a. Alfa. Numbered air forces will coordinate directly with FAA Region and/or FAA ARTC Center personnel for changes desired to existing areas or to initiate action on establishing a new area. The FAA Liaison Officer at the numbered air force headquarters may be requested to assist in this coordination.

b. Bravo. After approval, the Region will forward the approved coordinates and flight levels to the FAA-SAC Liaison Officer at this headquarters (DOOPF).

c. Charlie. The new area or the changes to a revised area will be effective 12 days after the date of the publishing date of the Airman's Guide in which it first appears.

12. Communications. Communications-rendezvous plans contained in this manual refer to Annex I, SACM 100-24. The following procedures are prescribed for use during refueling operations: All refueling aircraft approaching refueling areas shall establish communication with the appropriate ARTC Center on the center "area discrete" UHF frequency. All tanker and receiver aircraft will report over the entrance and exit points.

a. Receiver aircraft commanders will:

(1) Prior to rendezvous with tanker aircraft, advise Air Traffic Control that the ATC frequency will not be guarded for a specified period while conducting the refueling mission. Further contacts should be addressed through the tanker aircraft involved in the refueling operation.

(2) Upon establishing contact with the tanker aircraft, give the pertinent portion of the current flight plan under which flight is being conducted to the tanker pilot. In the event that tanker and receiver aircrews attended a common briefing prior to flight, and the current flight plan is as briefed, a detailed flight plan need not be given. However, all changes in effect will be relayed in order to insure that the tanker pilot is familiar with the current clearance.

(3) Receive positive position reports from tanker aircraft upon completion of the refueling operation. This will include any changes to the ATC clearance which may have been obtained.

(4) Insure that aircraft proceed in accordance with the ATC clearance or, in the event a change is required, obtain the necessary amendments.

(5) Immediately after breakoff from the tanker, establish communications with the appropriate ARTC Center in order that one of the following services can be effected:

(a) If on an IFR flight plan after completion of the air refueling, ANC or radar separation can be continued between the receiver aircraft and other aircraft operating at assigned altitudes on IFR flight plans,

(b) If on an IFR flight plan, in VFR conditions on top, the receiver can be issued appropriate traffic advisories, or,

(c) If operating VFR, appropriate traffic advisories can be issued to the receiver prior to departing the immediate vicinity of the completed refueling operation. In the event that no pertinent traffic exists, the receiver will so be advised and clearance will be issued to leave the center frequency.

b. Tanker aircraft commanders will:

(1) Insure that they have obtained the current ATC clearance under which the receiver aircraft is operating. In the event the course of the refueling mission deviates from the provisions of this clearance, tanker aircraft commanders will insure that necessary amendments are obtained from ATC for both tanker and receiver aircraft. They will supply:

(a) The flight levels to be used in refueling.

(b) Estimated time in refueling area.

(c) If other than a single direction track through the entire length of refueling area, sufficient description of the route within the area to provide the controller with information necessary to effect separation with other aircraft.

(2) When rendezvous has been completed and visual contact established, be responsible for completing all position reports for both tanker and receiver aircraft.

(3) During refueling operations, designate a crew member to:

(a) Maintain a continuous listening watch on appropriate ATC frequency.

(b) Complete radio calls required for both aircraft.

(4) Furnish the receiver aircraft commander a positive position at the completion of refueling operations together with any amendments or changes to the ATC clearance, if such have been obtained.

c. All procedures outlined in paragraphs 12a and b, above, apply to the tanker task force commander during mass air refuelings whenever aircraft of either the tanker or receiver force is operating under ATC clearance.

13. Numbering. High altitude refueling areas will be numbered consecutively as coordinated and implemented.

14. Grid Navigation. Whenever key ARCPs are located 60° North Latitude or above, grid navigation will be used and all references to headings between aircraft will be in grid.

COLUMNAR DATA HIGH ALTITUDE REFUELING AREAS

ALPHA TRACK				BRAVO TRACK			
ENTRY POINTS	ARCP	EXIT POINT/S	C/R PLAN	ENTRY POINT/S	ARCP	EXIT POINT	C/R PLAN
Hanksville VOR 179/44 3742N 11056W	3750N 11013W	Pueblo VOR 270/58 3832N 10538W	George Alfa	Pueblo VOR 244/55 3806N 10533W	3759N 10634W	Hanksville VOR 171/69 3716N 11050W	George Bravo
Billings VOR 064/59 4559N 10713W	4557N 10623W	Aberdeen VOR 273/75 4542 1/2N 10005W	Howard Alfa	Aberdeen VOR 254/75 4517 1/2N 10008W	4523N 10118W	Billings VOR 089/59 4533N 10716W	Howard Bravo
Casper VOR 94/51 4250N 10512W	4256N 10422W	Sioux Falls 251/68 4329N 9818W	Norman Alfa	Sioux Falls 231/74 4303N 9817W	4259N 9922.5W	Casper 113/67 4226N 10504W	Norman Bravo
Sioux Falls VOR 029/41 4411N 9613W	4503N 9613W	Fargo VOR 008/104 4825N 9611W	Sam Alfa	Duluth VOR 300/167 4825N 9525W	4743N 9528W	Minneapolis 231/107 4411N 9527W	Sam Bravo
Alamosa VOR 138/34 3650N 10530W	3703N 10442W	Garden City VOR 043/50 3824N 9951W	Thomas Alfa	Garden City VOR 073/50 3800N 9939W	3745N 10042W	Las Vegas VOR 337/49 3628N 10515W	Thomas Bravo
Garden City VORTAC 125/55 3715N 9955W Las Vegas 020/18	3700N 10054W 3611N 10357W	Las Vegas VOR 020/18 3553N 10455W Garden City 125/55	Owen Alfa				
Roswell VOR 098/50 3304N 10342W	3310N 10300W	Wichita Falls VOR 218/32 3337N 9905W	Perry Alfa	Wichita Falls VOR 195/52 3312N 9902W	3306N 10000W	Roswell VOR 118/66 3238N 10338W	Perry Bravo

SACM 55-14

C-1

COLUMNAR DATA HIGH ALTITUDE REFUELING AREAS

NUMBER	NICKNAME	AREA COORDINATES	FLT LVL	MILITARY CONTROLLING UNIT	FAA CONTROLLING CENTER	REMARKS
8	Fade Out Fig 1	3753N 10530W 3848N 10541W 3706N 11048W 3753N 11059W	240-260	6BW, Walker, 15AF	Denver	
9	Happy Home Fig 1	4505N 10010W 4554N 10004W 4611N 10715W 4520N 10716W	310-330	4136th SW Minot 15AF	Denver	
10	High Life Fig 1	4305N 10515W 4210N 10500W 4343N 9820W 4253N 9814W	240-290	28BW, Ellsworth, 15AF	Denver	
11	Lime Soda Fig 1	4411N 9630W 4411N 9510W 4825N 9630W 4825N 9510W	240-290	4321 SW Offutt AFB 2AF	Minneapolis	
12	Kitty Cat Fig 1	3747N 9933W 3836N 9957W 3702N 10535W 3617N 10508W	240-270	95BW, Biggs, 15AF	Albuquerque	Will not be used concurrently with flight levels 280-290 in the Eagle Eye area.
13	Eagle Eye Fig 1	3740N 10000W 3649N 9950W 3547N 10349W 3553N 10455W 3617N 10508W	240-270 280-290	832AD, Cannon, TAC	Albuquerque	Both blocks of flight levels will <u>not</u> be used concurrently.
14	Ivory Snow Fig 1	3315 1/2N 10340W 3226 1/2N 10332W 3350N 9906W 3300N 9900W	310-340	6BW, Walker, 15AF	El Paso	

COLUMNAR DATA HIGH ALTITUDE REFUELING AREAS

ALPHA TRACK				BRAVO TRACK			
ENTRY POINTS	ARCP	EXIT POINT/S	C/R PLAN	ENTRY POINT/S	ARCP	EXIT POINT	C/R PLAN
Hanksville VOR 179/44 3742N 11056W	3750N 11013W	Pueblo VOR 270/58 3832N 10533W	George Alfa	Pueblo VOR 244/55 3806N 10533W	3759N 10634W	Hanksville VOR 171/69 3716N 11050W	George Bravo
Billings VOR 064/59 4559N 10713W	4557N 10623W	Aberdeen VOR 273/75 4542 1/2N 10005W	Howard Alfa	Aberdeen VOR 254/75 4517 1/2N 10008W	4523N 10118W	Billings VOR 089/59 4533N 10716W	Howard Bravo
Casper VOR 94/51 4250N 10512W	4256N 10422W	Sioux Falls 251/68 4329N 9818W	Norman Alfa	Sioux Falls 231/74 4303N 9817W	4259N 9922.5W	Casper 113/67 4226N 10504W	Norman Bravo
Sioux Falls VOR 029/41 4411N 9613W	4503N 9613W	Fargo VOR 008/104 4825N 9611W	Sam Alfa	Duluth VOR 300/167 4825N 9525W	4743N 9528W	Minneapolis 231/107 4411N 9527W	Sam Bravo
Alamosa VOR 138/34 3650N 10530W	3703N 10442W	Garden City VOR 043/50 3824N 9951W	Thomas Alfa	Garden City VOR 073/50 3800N 9939W	3745N 10042W	Las Vegas VOR 337/49 3628N 10515W	Thomas Bravo
Garden City VORTAC 125/55 3715N 9955W Las Vegas 020/18	3700N 10054W 3611N 10357W	Las Vegas VOR 020/18 3553N 10455W Garden City 125/55	Owen Alfa				
Roswell VOR 098/50 3304N 10342W	3310N 10300W	Wichita Falls VOR 218/32 3337N 9905W	Perry Alfa	Wichita Falls VOR 195/52 3312N 9902W	3306N 10000W	Roswell VOR 118/66 3238N 10338W	Perry Bravo

SACM 55-14

G5

COLUMNAR DATA HIGH ALTITUDE REFUELING AREAS

NUMBER	NICKNAME	AREA COORDINATES	FLT LVL	MILITARY CONTROLLING UNIT	FAA CONTROLLING CENTER	REMARKS
8	Fade Out Fig 1	3753N 10530W 3848N 10541W 3706N 11048W 3753N 11059W	240-260	6BW, Walker, 15AF	Denver	
9	Happy Home Fig 1	4505N 10010W 4554N 10004W 4611N 10715W 4520N 10716W	310-330	4136th SW Minot 15AF	Denver	
10	High Life Fig 1	4305N 10515W 4210N 10500W 4343N 9820W 4253N 9814W	240-290	28BW, Ellsworth, 15AF	Denver	
11	Lime Soda Fig 1	4411N 9630W 4411N 9510W 4825N 9630W 4825N 9510W	240-290	4321 SW Offutt AFB 2AF	Minneapolis	
12	Kitty Cat Fig 1	3747N 9933W 3836N 9957W 3702N 10535W 3617N 10508W	240-270	95BW, Biggs, 15AF	Albuquerque	Will not be used concurrently with flight levels 280-290 in the Eagle Eye area.
13	Eagle Eye Fig 1	3740N 10000W 3649N 9950W 3547N 10349W 3553N 10455W 3617N 10508W	240-270 280-290	832AD, Cannon, TAC	Albuquerque	Both blocks of flight levels will <u>not</u> be used concurrently.
14	Ivory Snow Fig 1	3315 1/2N 10340W 3226 1/2N 10332W 3350N 9906W 3300N 9900W	310-340	6BW, Walker, 15AF	El Paso	

SACM 55-14

C5

COLUMNAR DATA HIGH ALTITUDE REFUELING AREAS						
NUMBER	NICKNAME	AREA COORDINATES	FLY LVL	MILITARY CONTROLLING UNIT	FAA CONTROLLING CENTER	REMARKS
8	Fade Out Fig 1	3753N 10530W 3848N 10541W 3706N 11048W 3753N 11059W	240-260	6BW, Walker, 15AF	Denver	
9	Happy Home Fig 1	4506N 10010W 4554N 10004W 4611N 10715W 4520N 10716W	310-330	4136th SW Minot 15AF	Denver	
10	High Life Fig 1	4305N 10515W 4210N 10500W 4343N 9820W 4253N 9814W	240-290	28BW, Ellsworth, 15AF	Denver	
11	Lime Soda Fig 1	4411N 9630W 4411N 9510W 4825N 9630W 4825N 9510W	240-290	4321 SW Offutt AFB 2AF	Minneapolis	
12	Kitty Cat Fig 1	3747N 9933W 3836N 9957W 3702N 10535W 3617N 10508W	240-270	95BW, Biggs, 15AF	Albuquerque	Will not be used concurrently with flight levels 280-290 in the Eagle Eye area.
13	Eagle Eye Fig 1	3740N 10000W 3649N 9950W 3547N 10349W 3553N 10455W 3617N 10508W	240-270 280-290	832AD, Cannon, TAC	Albuquerque	Both blocks of flight levels will <u>not</u> be used concurrently.
14	Ivory Snow Fig 1	3315 1/2N 10340W 3226 1/2N 10332W 3350N 9906W 3300N 9900W	310-340	6BW, Walker, 15AF	El Paso	

COLUMNAR DATA HIGH ALTITUDE REFUELING AREAS

ALPHA TRACK				BRAVO TRACK			
ENTRY POINTS	ARCP	EXIT POINT/S	C/R PLAN	ENTRY POINT/S	ARCP	EXIT POINT	C/R PLAN
Hanksville VOR 179/44 3742N 11056W	3750N 11013W	Pueblo VOR 270/58 3832N 10538W	George Alfa	Pueblo VOR 244/55 3806N 10533W	3759N 10634W	Hanksville VOR 171/69 3716N 11050W	George Bravo
Billings VOR 064/59 4559N 10713W	4557N 10623W	Aberdeen VOR 273/75 4542 1/2N 10005W	Howard Alfa	Aberdeen VOR 254/75 4517 1/2N 10008W	4523N 10118W	Billings VOR 089/59 4533N 10716W	Howard Bravo
Casper VOR 94/51 4250N 10512W	4256N 10422W	Sioux Falls 251/68 4329N 9818W	Norman Alfa	Sioux Falls 231/74 4303N 9817W	4259N 9922.5W	Casper 113/67 4226N 10504W	Norman Bravo
Sioux Falls VOR 029/41 4411N 9613W	4503N 9613W	Fargo VOR 008/104 4825N 9611W	Sam Alfa	Duluth VOR 300/167 4825N 9525W	4743N 9528W	Minneapolis 231/107 4411N 9527W	Sam Bravo
Alamosa VOR 138/34 3650N 10530W	3703N 10442W	Garden City VOR 043/50 3824N 9951W	Thomas Alfa	Garden City VOR 073/50 3800N 9939W	3745N 10042W	Las Vegas VOR 337/49 3628N 10515W	Thomas Bravo
Garden City VORTAC 125/55 3715N 9955W Las Vegas 020/18	3700N 10054W 3611N 10357W	Las Vegas VOR 020/18 3553N 10455W Garden City 125/55	Owen Alfa				
Roswell VOR 098/50 3304N 10342W	3310N 10300W	Wichita Falls VOR 218/32 3337N 9905W	Perry Alfa	Wichita Falls VOR 195/52 3312N 9902W	3306N 10000W	Roswell VOR 118/66 3238N 10338W	Perry Bravo

LOCAL MEAN TIME OF SUNSET AND END OF ASTRONOMICAL
TWILIGHT—MERIDIAN OF GREENWICH

Date \ Lat.		SUNSET (UPPER LIMB)													
		0°	+10°	+20°	+30°	+35°	+40°	+45°	+50°	+52°	+54°	+56°	+58°	+60°	
Oct.	2	h m	h m	h m	h m	h m	h m	h m	h m	h m	h m	h m	h m	h m	
	7	17 53	17 50	17 48	17 45	17 44	17 42	17 40	17 38	17 37	17 36	17 35	17 33	17 32	
	12	17 51	17 48	17 44	17 39	17 37	17 34	17 31	17 27	17 26	17 24	17 22	17 19	17 17	
	17	17 50	17 45	17 39	17 33	17 30	17 26	17 22	17 17	17 14	17 12	17 09	17 06	17 02	
	22	17 49	17 42	17 36	17 28	17 24	17 19	17 13	17 06	17 03	17 00	16 56	16 52	16 48	
Nov.	27	17 48	17 40	17 32	17 23	17 18	17 12	17 05	16 57	16 53	16 49	16 44	16 39	16 33	
	1	17 47	17 38	17 29	17 18	17 12	17 05	16 57	16 47	16 43	16 38	16 32	16 26	16 19	
	6	17 47	17 37	17 26	17 14	17 07	16 59	16 49	16 38	16 33	16 27	16 21	16 14	16 06	
	11	17 47	17 36	17 24	17 10	17 02	16 53	16 43	16 30	16 24	16 18	16 10	16 02	15 53	
	16	17 48	17 35	17 22	17 07	16 58	16 48	16 36	16 22	16 16	16 09	16 01	15 52	15 41	
Dec.	21	17 48	17 35	17 20	17 04	16 54	16 44	16 31	16 16	16 08	16 00	15 52	15 42	15 30	
	26	17 49	17 35	17 19	17 02	16 52	16 40	16 26	16 10	16 02	15 53	15 44	15 33	15 20	
	1	17 51	17 35	17 19	17 01	16 50	16 37	16 23	16 05	15 57	15 48	15 37	15 25	15 11	
	6	17 53	17 36	17 19	17 00	16 49	16 36	16 20	16 02	15 53	15 43	15 32	15 19	15 04	
	11	17 55	17 38	17 20	17 00	16 48	16 35	16 19	15 59	15 50	15 40	15 28	15 14	14 58	
	16	17 57	17 40	17 22	17 01	16 49	16 35	16 18	15 58	15 49	15 38	15 26	15 11	14 54	
	21	17 59	17 42	17 23	17 02	16 50	16 36	16 19	15 58	15 49	15 38	15 25	15 10	14 53	
	26	18 01	17 44	17 25	17 04	16 52	16 38	16 21	16 00	15 50	15 39	15 26	15 11	14 54	
	31	18 04	17 47	17 28	17 07	16 55	16 40	16 24	16 03	15 53	15 42	15 29	15 15	14 57	
	36	18 07	17 49	17 31	17 10	16 58	16 44	16 27	16 07	15 57	15 46	15 34	15 20	15 03	
		18 09	17 52	17 34	17 14	17 02	16 48	16 32	16 12	16 03	15 52	15 40	15 26	15 10	

END OF ASTRONOMICAL TWILIGHT

Oct.	2	19 02	19 00	18 57	18 54	19 08	19 12	19 18	19 26	19 30	19 35	19 40	19 45	19 53
	7	19 00	18 58	18 57	18 58	19 01	19 04	19 08	19 14	19 18	19 22	19 26	19 30	19 36
	12	18 59	18 55	18 52	18 52	18 54	18 56	18 59	19 04	19 06	19 10	19 13	19 17	19 21
	17	18 59	18 52	18 50	18 48	18 48	18 49	18 51	18 53	18 55	18 58	19 00	19 03	19 07
	22	18 58	18 51	18 46	18 43	18 42	18 42	18 43	18 45	18 46	18 47	18 48	18 50	18 52
Nov.	27	18 57	18 49	18 43	18 38	18 37	18 36	18 36	18 36	18 36	18 37	18 37	18 38	18 40
	1	18 58	18 49	18 41	18 35	18 33	18 31	18 28	18 27	18 27	18 27	18 28	18 28	18 28
	6	18 58	18 48	18 39	18 31	18 28	18 25	18 23	18 20	18 20	18 19	18 18	18 18	18 17
	11	19 00	18 48	18 38	18 29	18 25	18 21	18 17	18 14	18 13	18 12	18 11	18 10	18 08
	16	19 01	18 48	18 36	18 27	18 21	18 18	18 13	18 09	18 06	18 05	18 04	18 02	18 00
Dec.	21	19 02	18 49	18 36	18 25	18 20	18 15	18 09	18 04	18 02	17 59	17 58	17 56	17 53
	26	19 05	18 49	18 36	18 25	18 19	18 12	18 07	18 01	17 58	17 56	17 53	17 50	17 47
	1	19 07	18 51	18 37	18 24	18 18	18 12	18 05	17 59	17 56	17 53	17 50	17 47	17 43
	6	19 10	18 53	18 38	18 25	18 18	18 12	18 05	17 57	17 54	17 51	17 48	17 44	17 40
	11	19 12	18 55	18 40	18 26	18 19	18 12	18 04	17 57	17 54	17 50	17 47	17 42	17 38
	16	19 14	18 57	18 42	18 27	18 21	18 14	18 06	17 57	17 55	17 51	17 47	17 43	17 39
	21	19 16	18 59	18 44	18 30	18 23	18 16	18 08	18 00	17 56	17 53	17 48	17 44	17 40
	26	19 19	19 02	18 47	18 32	18 26	18 18	18 11	18 02	17 59	17 55	17 51	17 48	17 43
	31	19 22	19 04	18 50	18 35	18 29	18 21	18 13	18 06	18 02	17 59	17 56	17 52	17 48
	36	19 24	19 07	18 52	18 39	18 32	18 25	18 18	18 10	18 08	18 04	18 00	17 56	17 53


SOUTHERN LATITUDES (April to July)

For dates on first line below, enter tables above with dates on second line,
and apply the correction (in minutes) given on the third line.

Date	Apr. 3	9	14	19	24	Apr. 29	May 4	9	14	20	25	May 30	June 4	10	15	21	26	July 1	7
Use	Oct. 7	12	17	22	27	Nov. 1	Nov. 6	11	16	21	26	Dec. 1	Dec. 6	11	16	21	26	Dec. 31	36
Apply	+15	+15	+15	+15	+14	+14	+13	+13	+12	+11	+10	+9	+7	+6	+5	+4	+2	+1	0

TAB

- A Initial Report from [REDACTED] and [REDACTED]
- B Refueling Area Data
- C Weather Data



APRIL 1965

1. The first part of the document is a list of names and addresses, which are arranged in a table-like format. The names are listed in the first column, and the addresses are listed in the second column. The names are: John Doe, Jane Smith, and Bob Johnson. The addresses are: 123 Main St, 456 Elm St, and 789 Oak St.

2. The second part of the document is a list of names and addresses, which are arranged in a table-like format. The names are listed in the first column, and the addresses are listed in the second column. The names are: John Doe, Jane Smith, and Bob Johnson. The addresses are: 123 Main St, 456 Elm St, and 789 Oak St.

3. The third part of the document is a list of names and addresses, which are arranged in a table-like format. The names are listed in the first column, and the addresses are listed in the second column. The names are: John Doe, Jane Smith, and Bob Johnson. The addresses are: 123 Main St, 456 Elm St, and 789 Oak St.

4. The fourth part of the document is a list of names and addresses, which are arranged in a table-like format. The names are listed in the first column, and the addresses are listed in the second column. The names are: John Doe, Jane Smith, and Bob Johnson. The addresses are: 123 Main St, 456 Elm St, and 789 Oak St.

5. The fifth part of the document is a list of names and addresses, which are arranged in a table-like format. The names are listed in the first column, and the addresses are listed in the second column. The names are: John Doe, Jane Smith, and Bob Johnson. The addresses are: 123 Main St, 456 Elm St, and 789 Oak St.

6. The sixth part of the document is a list of names and addresses, which are arranged in a table-like format. The names are listed in the first column, and the addresses are listed in the second column. The names are: John Doe, Jane Smith, and Bob Johnson. The addresses are: 123 Main St, 456 Elm St, and 789 Oak St.

7. The seventh part of the document is a list of names and addresses, which are arranged in a table-like format. The names are listed in the first column, and the addresses are listed in the second column. The names are: John Doe, Jane Smith, and Bob Johnson. The addresses are: 123 Main St, 456 Elm St, and 789 Oak St.

8. The eighth part of the document is a list of names and addresses, which are arranged in a table-like format. The names are listed in the first column, and the addresses are listed in the second column. The names are: John Doe, Jane Smith, and Bob Johnson. The addresses are: 123 Main St, 456 Elm St, and 789 Oak St.

9. The ninth part of the document is a list of names and addresses, which are arranged in a table-like format. The names are listed in the first column, and the addresses are listed in the second column. The names are: John Doe, Jane Smith, and Bob Johnson. The addresses are: 123 Main St, 456 Elm St, and 789 Oak St.

10. The tenth part of the document is a list of names and addresses, which are arranged in a table-like format. The names are listed in the first column, and the addresses are listed in the second column. The names are: John Doe, Jane Smith, and Bob Johnson. The addresses are: 123 Main St, 456 Elm St, and 789 Oak St.

[illegible]


1. 1941
 2. 1942
 3. 1943
 4. 1944
 5. 1945
 6. 1946
 7. 1947
 8. 1948
 9. 1949
 10. 1950
 11. 1951
 12. 1952
 13. 1953
 14. 1954
 15. 1955
 16. 1956
 17. 1957
 18. 1958
 19. 1959
 20. 1960
 21. 1961
 22. 1962
 23. 1963
 24. 1964
 25. 1965
 26. 1966
 27. 1967
 28. 1968
 29. 1969
 30. 1970
 31. 1971
 32. 1972
 33. 1973
 34. 1974
 35. 1975
 36. 1976
 37. 1977
 38. 1978
 39. 1979
 40. 1980
 41. 1981
 42. 1982
 43. 1983
 44. 1984
 45. 1985
 46. 1986
 47. 1987
 48. 1988
 49. 1989
 50. 1990
 51. 1991
 52. 1992
 53. 1993
 54. 1994
 55. 1995
 56. 1996
 57. 1997
 58. 1998
 59. 1999
 60. 2000
 61. 2001
 62. 2002
 63. 2003
 64. 2004
 65. 2005
 66. 2006
 67. 2007
 68. 2008
 69. 2009
 70. 2010
 71. 2011
 72. 2012
 73. 2013
 74. 2014
 75. 2015
 76. 2016
 77. 2017
 78. 2018
 79. 2019
 80. 2020
 81. 2021
 82. 2022
 83. 2023
 84. 2024
 85. 2025
 86. 2026
 87. 2027
 88. 2028
 89. 2029
 90. 2030
 91. 2031
 92. 2032
 93. 2033
 94. 2034
 95. 2035
 96. 2036
 97. 2037
 98. 2038
 99. 2039
 100. 2040
 101. 2041
 102. 2042
 103. 2043
 104. 2044
 105. 2045
 106. 2046
 107. 2047
 108. 2048
 109. 2049
 110. 2050
 111. 2051
 112. 2052
 113. 2053
 114. 2054
 115. 2055
 116. 2056
 117. 2057
 118. 2058
 119. 2059
 120. 2060
 121. 2061
 122. 2062
 123. 2063
 124. 2064
 125. 2065
 126. 2066
 127. 2067
 128. 2068
 129. 2069
 130. 2070
 131. 2071
 132. 2072
 133. 2073
 134. 2074
 135. 2075
 136. 2076
 137. 2077
 138. 2078
 139. 2079
 140. 2080
 141. 2081
 142. 2082
 143. 2083
 144. 2084
 145. 2085
 146. 2086
 147. 2087
 148. 2088
 149. 2089
 150. 2090
 151. 2091
 152. 2092
 153. 2093
 154. 2094
 155. 2095
 156. 2096
 157. 2097
 158. 2098
 159. 2099
 160. 2100
 161. 2101
 162. 2102
 163. 2103
 164. 2104
 165. 2105
 166. 2106
 167. 2107
 168. 2108
 169. 2109
 170. 2110
 171. 2111
 172. 2112
 173. 2113
 174. 2114
 175. 2115
 176. 2116
 177. 2117
 178. 2118
 179. 2119
 180. 2120
 181. 2121
 182. 2122
 183. 2123
 184. 2124
 185. 2125
 186. 2126
 187. 2127
 188. 2128
 189. 2129
 190. 2130
 191. 2131
 192. 2132
 193. 2133
 194. 2134
 195. 2135
 196. 2136
 197. 2137
 198. 2138
 199. 2139
 200. 2140
 201. 2141
 202. 2142
 203. 2143
 204. 2144
 205. 2145
 206. 2146
 207. 2147
 208. 2148
 209. 2149
 210. 2150
 211. 2151
 212. 2152
 213. 2153
 214. 2154
 215. 2155
 216. 2156
 217. 2157
 218. 2158
 219. 2159
 220. 2160
 221. 2161

<p>1. <i>Staphylococcus aureus</i> (10⁸ CFU/ml)</p> <p>2. <i>Staphylococcus aureus</i> (10⁷ CFU/ml)</p> <p>3. <i>Staphylococcus aureus</i> (10⁶ CFU/ml)</p> <p>4. <i>Staphylococcus aureus</i> (10⁵ CFU/ml)</p> <p>5. <i>Staphylococcus aureus</i> (10⁴ CFU/ml)</p> <p>6. <i>Staphylococcus aureus</i> (10³ CFU/ml)</p> <p>7. <i>Staphylococcus aureus</i> (10² CFU/ml)</p> <p>8. <i>Staphylococcus aureus</i> (10¹ CFU/ml)</p> <p>9. <i>Staphylococcus aureus</i> (10⁰ CFU/ml)</p> <p>10. <i>Staphylococcus aureus</i> (10⁻¹ CFU/ml)</p>	<p>1. <i>Staphylococcus aureus</i> (10⁸ CFU/ml)</p> <p>2. <i>Staphylococcus aureus</i> (10⁷ CFU/ml)</p> <p>3. <i>Staphylococcus aureus</i> (10⁶ CFU/ml)</p> <p>4. <i>Staphylococcus aureus</i> (10⁵ CFU/ml)</p> <p>5. <i>Staphylococcus aureus</i> (10⁴ CFU/ml)</p> <p>6. <i>Staphylococcus aureus</i> (10³ CFU/ml)</p> <p>7. <i>Staphylococcus aureus</i> (10² CFU/ml)</p> <p>8. <i>Staphylococcus aureus</i> (10¹ CFU/ml)</p> <p>9. <i>Staphylococcus aureus</i> (10⁰ CFU/ml)</p> <p>10. <i>Staphylococcus aureus</i> (10⁻¹ CFU/ml)</p>
---	---


1944-1945

11. 10/20/57
12. 10/20/57


THE UNIVERSITY OF CHICAGO
CHICAGO, ILLINOIS



800
750
700
650
600
550
500
450
400
350
300
250
200
150
100
50
0





10 100 1000 10000 100000 1000000 10000000 100000000 1000000000



10
100
1000
10000
100000
1000000
10000000
100000000

10 100 1000 10000 100000 1000000 10000000 100000000 1000000000

U.S. DEPARTMENT OF COMMERCE WEATHER BUREAU ADIABATIC CHART



FORM NO. 100-1 (10-1-36)

U.S. DEPARTMENT OF COMMERCE
WEATHER BUREAU

NAME _____

DATE _____

TIME _____

LOCATION _____

WIND _____

TEMP _____

HUMIDITY _____

DEW POINT _____

MIXING RATIO _____

STATION _____

OFFICER _____

REMARKS _____

LEGEND FOR ADIABATIC CHART

Symbol	Description
—	Adiabatic line
—	Mixing ratio line
—	Relative humidity line
—	Dew point line
—	Temperature line
—	Pressure line

LEGEND FOR PLOTTED CHARTS

Symbol	Description
—	Adiabatic line
—	Mixing ratio line
—	Relative humidity line
—	Dew point line
—	Temperature line
—	Pressure line

FORM NO. 100-2 (10-1-36)

U.S. DEPARTMENT OF COMMERCE
WEATHER BUREAU

NAME _____

DATE _____

TIME _____

LOCATION _____

WIND _____

TEMP _____

HUMIDITY _____

DEW POINT _____

MIXING RATIO _____

STATION _____

OFFICER _____

REMARKS _____

FORM NO. 100-3 (10-1-36)

U.S. DEPARTMENT OF COMMERCE
WEATHER BUREAU

NAME _____

DATE _____

TIME _____

LOCATION _____

WIND _____

TEMP _____

HUMIDITY _____

DEW POINT _____

MIXING RATIO _____

STATION _____

OFFICER _____

REMARKS _____

FORM NO. 100-4 (10-1-36)

U.S. DEPARTMENT OF COMMERCE
WEATHER BUREAU

NAME _____

DATE _____

TIME _____

LOCATION _____

WIND _____

TEMP _____

HUMIDITY _____


DEW POINT _____

MIXING RATIO _____

STATION _____

OFFICER _____

REMARKS _____



25 OCT 63

cl & dyn

HEADQUARTERS
821ST STRATEGIC AEROSPACE DIVISION
UNITED STATES AIR FORCE
ELLSWORTH AIR FORCE BASE, SOUTH DAKOTA



REPLY TO
ATTN OF: BDOBO

9 DEC 1983

SUBJECT: Civilian Report of UFO

TO: HQ USAF
Wash DC 20330

FTD W/P AFB OHIO


Attached is a report of an Unidentified Flying Object by a civilian pilot.

FOR THE COMMANDER:


Clifford D. Coble

CLIFFORD D. COBLE
Major, USAF
Base Operations Officer

1 Atch
Report of UFO



ADIABATIC CHART



Standard Atmosphere

1000 1000 1000

1000 1000 1000

1000 1000 1000

1000 1000 1000

1000 1000 1000

1000 1000 1000

1000 1000 1000

1000 1000 1000

1000 1000 1000

1000 1000 1000

Pressure	Temperature	Entropy	Enthalpy	Internal Energy
1000	100	1.6	1000	1000
1000	110	1.6	1010	1010
1000	120	1.6	1020	1020
1000	130	1.6	1030	1030
1000	140	1.6	1040	1040
1000	150	1.6	1050	1050
1000	160	1.6	1060	1060
1000	170	1.6	1070	1070
1000	180	1.6	1080	1080
1000	190	1.6	1090	1090
1000	200	1.6	1100	1100

REMARKS

LEGEND FOR CONSTANT PRESSURE

LEGEND FOR CONSTANT VOLUME

LEGEND FOR CONSTANT TEMPERATURE


LEGEND FOR CONSTANT DENSITY


LEGEND FOR CONSTANT SPECIFIC HEAT

LEGEND FOR CONSTANT ENTROPY

LEGEND FOR CONSTANT ENTHALPY

LEGEND FOR CONSTANT INTERNAL ENERGY






Pressure (atm)	Temperature (°C)	Specific Volume (cc/g)
1.0	100	1.673
1.0	150	1.685
1.0	200	1.700
1.0	250	1.720
1.0	300	1.745
1.0	350	1.775
1.0	400	1.810
1.0	450	1.850
1.0	500	1.895
1.0	550	1.945
1.0	600	2.000
1.0	650	2.060
1.0	700	2.125
1.0	750	2.195
1.0	800	2.270
1.0	850	2.350
1.0	900	2.435
1.0	950	2.525
1.0	1000	2.620
1.0	1050	2.720
1.0	1100	2.825
1.0	1150	2.935
1.0	1200	3.050
1.0	1250	3.170
1.0	1300	3.295
1.0	1350	3.425
1.0	1400	3.560
1.0	1450	3.700
1.0	1500	3.845
1.0	1550	3.995
1.0	1600	4.150
1.0	1650	4.310
1.0	1700	4.475
1.0	1750	4.645
1.0	1800	4.820
1.0	1850	5.000
1.0	1900	5.185
1.0	1950	5.375
1.0	2000	5.570
1.0	2050	5.770
1.0	2100	5.975
1.0	2150	6.185
1.0	2200	6.400
1.0	2250	6.620
1.0	2300	6.845
1.0	2350	7.075
1.0	2400	7.310
1.0	2450	7.550
1.0	2500	7.795
1.0	2550	8.045
1.0	2600	8.300
1.0	2650	8.560
1.0	2700	8.825
1.0	2750	9.095
1.0	2800	9.370
1.0	2850	9.650
1.0	2900	9.935
1.0	2950	10.225
1.0	3000	10.520
1.0	3050	10.820
1.0	3100	11.125
1.0	3150	11.435
1.0	3200	11.750
1.0	3250	12.070
1.0	3300	12.395
1.0	3350	12.725
1.0	3400	13.060
1.0	3450	13.400
1.0	3500	13.745
1.0	3550	14.095
1.0	3600	14.450
1.0	3650	14.810
1.0	3700	15.175
1.0	3750	15.545
1.0	3800	15.920
1.0	3850	16.300
1.0	3900	16.685
1.0	3950	17.075
1.0	4000	17.470
1.0	4050	17.870
1.0	4100	18.275
1.0	4150	18.685
1.0	4200	19.100
1.0	4250	19.520
1.0	4300	19.945
1.0	4350	20.375
1.0	4400	20.810
1.0	4450	21.250
1.0	4500	21.695
1.0	4550	22.145
1.0	4600	22.600
1.0	4650	23.060
1.0	4700	23.525
1.0	4750	23.995
1.0	4800	24.470
1.0	4850	24.950
1.0	4900	25.435
1.0	4950	25.925
1.0	5000	26.420
1.0	5050	26.920
1.0	5100	27.425
1.0	5150	27.935
1.0	5200	28.450
1.0	5250	28.970
1.0	5300	29.495
1.0	5350	30.025
1.0	5400	30.560
1.0	5450	31.100
1.0	5500	31.645
1.0	5550	32.195
1.0	5600	32.750
1.0	5650	33.310
1.0	5700	33.875
1.0	5750	34.445
1.0	5800	35.020
1.0	5850	35.600
1.0	5900	36.185
1.0	5950	36.775
1.0	6000	37.370
1.0	6050	37.970
1.0	6100	38.575
1.0	6150	39.185
1.0	6200	39.800
1.0	6250	40.420
1.0	6300	41.045
1.0	6350	41.675
1.0	6400	42.310
1.0	6450	42.950
1.0	6500	43.595
1.0	6550	44.245
1.0	6600	44.900
1.0	6650	45.560
1.0	6700	46.225
1.0	6750	46.895
1.0	6800	47.570
1.0	6850	48.250
1.0	6900	48.935
1.0	6950	49.625
1.0	7000	50.320
1.0	7050	51.020
1.0	7100	51.725
1.0	7150	52.435
1.0	7200	53.150
1.0	7250	53.870
1.0	7300	54.595
1.0	7350	55.325
1.0	7400	56.060
1.0	7450	56.800
1.0	7500	57.545
1.0	7550	58.295
1.0	7600	59.050
1.0	7650	59.810
1.0	7700	60.575
1.0	7750	61.345
1.0	7800	62.120
1.0	7850	62.900
1.0	7900	63.685
1.0	7950	64.475
1.0	8000	65.270
1.0	8050	66.070
1.0	8100	66.875
1.0	8150	67.685
1.0	8200	68.500
1.0	8250	69.320
1.0	8300	70.145
1.0	8350	70.975
1.0	8400	71.810
1.0	8450	72.650
1.0	8500	73.495
1.0	8550	74.345
1.0	8600	75.200
1.0	8650	76.060
1.0	8700	76.925
1.0	8750	77.795
1.0	8800	78.670
1.0	8850	79.550
1.0	8900	80.435
1.0	8950	81.325
1.0	9000	82.220
1.0	9050	83.120
1.0	9100	84.025
1.0	9150	84.935
1.0	9200	85.850
1.0	9250	86.770
1.0	9300	87.695
1.0	9350	88.625
1.0	9400	89.560
1.0	9450	90.500
1.0	9500	91.445
1.0	9550	92.395
1.0	9600	93.350
1.0	9650	94.310
1.0	9700	95.275
1.0	9750	96.245
1.0	9800	97.220
1.0	9850	98.200
1.0	9900	99.185
1.0	9950	100.175
1.0	10000	101.170

ADIABATIC CHART

U.S. DEPARTMENT OF COMMERCE
BUREAU OF MARINE ENGINEERING

CONVERSION TABLES

Pressure (atm)	Temperature (°C)	Specific Volume (cc/g)
1.0	100	1.673
1.0	150	1.685
1.0	200	1.700
1.0	250	1.720
1.0	300	1.745
1.0	350	1.775
1.0	400	1.810
1.0	450	1.850
1.0	500	1.895
1.0	550	1.945
1.0	600	2.000
1.0	650	2.060
1.0	700	2.125
1.0	750	2.195
1.0	800	2.270
1.0	850	2.350
1.0	900	2.435
1.0	950	2.525
1.0	1000	2.620
1.0	1050	2.720
1.0	1100	2.825
1.0	1150	2.935
1.0	1200	3.050
1.0	1250	3.170
1.0	1300	3.295
1.0	1350	3.425
1.0	1400	3.560
1.0	1450	3.700
1.0	1500	3.845
1.0	1550	3.995
1.0	1600	4.150
1.0	1650	4.310
1.0	1700	4.475
1.0	1750	4.645
1.0	1800	4.820
1.0	1850	5.000
1.0	1900	5.185
1.0	1950	5.375
1.0	2000	5.570
1.0	2050	5.770
1.0	2100	5.975
1.0	2150	6.185
1.0	2200	6.400
1.0	2250	6.620
1.0	2300	6.845
1.0	2350	7.075
1.0	2400	7.310
1.0	2450	7.550
1.0	2500	7.795
1.0	2550	8.045
1.0	2600	8.300
1.0	2650	8.560
1.0	2700	8.825
1.0	2750	9.095
1.0	2800	9.370
1.0	2850	9.650
1.0	2900	9.935
1.0	2950	10.225
1.0	3000	10.520
1.0	3050	10.820
1.0	3100	11.125
1.0	3150	11.435
1.0	3200	11.750
1.0	3250	12.070
1.0	3300	12.395
1.0	3350	12.725
1.0	3400	13.060
1.0	3450	13.400
1.0	3500	13.745
1.0	3550	14.095
1.0	3600	14.450
1.0	3650	14.810
1.0	3700	15.175
1.0	3750	15.545
1.0	3800	15.920
1.0	3850	16.300
1.0	3900	16.685
1.0	3950	17.075
1.0	4000	17.470
1.0	4050	17.870
1.0	4100	18.275
1.0	4150	18.685
1.0	4200	19.100
1.0	4250	19.520
1.0	4300	19.945
1.0	4350	20.375
1.0	4400	20.810
1.0	4450	21.250
1.0	4500	21.695
1.0	4550	22.145
1.0	4600	22.600
1.0	4650	23.060
1.0	4700	23.525
1.0	4750	23.995
1.0	4800	24.470
1.0	4850	24.950
1.0	4900	25.435
1.0	4950	25.925
1.0	5000	26.420
1.0	5050	26.920
1.0	5100	27.425
1.0	5150	27.935
1.0	5200	28.450
1.0	5250	28.970
1.0	5300	29.495
1.0	5350	30.025
1.0	5400	30.560
1.0	5450	31.100
1.0	5500	31.645
1.0	5550	32.195
1.0	5600	32.750
1.0	5650	33.310
1.0	5700	33.875
1.0	5750	34.445
1.0	5800	35.020
1.0	5850	35.600
1.0	5900	36.185
1.0	5950	36.775
1.0	6000	37.370
1.0	6050	37.970
1.0	6100	38.575
1.0	6150	39.185
1.0	6200	39.800
1.0	6250	40.420
1.0	6300	41.045
1.0	6350	41.675
1.0	6400	42.310
1.0	6450	42.950
1.0	6500	43.595
1.0	6550	44.245
1.0	6600	44.900
1.0	6650	45.560
1.0	6700	46.225
1.0	6750	46.895
1.0	6800	47.570
1.0	6850	48.250
1.0	6900	48.935
1.0	6950	49.625
1.0	7000	50.320
1.0	7050	51.020
1.0	7100	51.725
1.0	7150	52.435
1.0	7200	53.150
1.0	7250	53.870
1.0	7300	54.595
1.0	7350	55.325
1.0	7400	56.060
1.0	7450	56.800
1.0	7500	57.545
1.0	7550	58.295
1.0	7600	59.050
1.0	7650	59.810
1.0	7700	60.575
1.0	7750	61.345
1.0	7800	62.120
1.0	7850	62.900
1.0	7900	63.685
1.0	7950	64.475
1.0	8000	65.270
1.0	8050	66.070
1.0	8100	66.875
1.0	8150	67.685
1.0	8200	68.500
1.0	8250	69.320
1.0	8300	70.145
1.0	8350	70.975
1.0	8400	71.810
1.0	8450	72.650
1.0	8500	73.495



10

8

7

6


5


4

3

2

1





U.S. DEPARTMENT OF COMMERCE
NAVY DEPARTMENT
ADIBATIC CHART

TABLE I
Properties of Water and Steam

Pressure (atm)	Temperature (°C)	Specific Volume (cm³/g)	Enthalpy (cal/g)	Entropy (cal/g°C)
1	100	1.673	105.4	0.718
10	170	0.194	181.9	1.411
100	311	0.016	277.7	2.138
1000	374	0.001	313.9	2.758

TABLE II
Properties of Air and Gases

Pressure (atm)	Temperature (°C)	Specific Volume (cm³/g)	Enthalpy (cal/g)	Entropy (cal/g°C)
1	0	773	0	0
10	0	77.3	0	0
100	0	7.73	0	0
1000	0	0.773	0	0

LEGEND FOR ADIBATIC CHART

1. Adiabatic Process (Isentropic)

2. Isothermal Process (Isotherm)

3. Isobaric Process (Isobar)

4. Isochoric Process (Isochore)

5. Polytropic Process (Polytropic)


6. Saturated Vapor Line

7. Saturated Liquid Line

8. Critical Point

9. Triple Point

10. Normal Boiling Point



FEDERAL AVIATION AGENCY

Flight Service Station

Box 137

Huron, South Dakota

November 27, 1963

Dear Mr. [REDACTED]

I wish to acknowledge your letter, dated November 5, 1963, of sighting an unidentified flying object, while in flight to Mitchell.

Your well written description of the sighting has been forwarded to the proper military office for handling.

If I may be of further assistance to you, please do not hesitate to write.

Sincerely yours,

Billy D. Templeton
Chief, Flight Service Station

cc:
CE-520
RCA-afb

ADIABATIC CHART

1. Initial Conditions	
Pressure	Temperature
2. Final Conditions	
Pressure	Temperature
3. Process	
Process	Process
4. Other Data	
5. Remarks	


6. Notes	
7. Calculations	
8. Results	
9. Conclusions	
10. Summary	

11. Additional Data	
12. Final Remarks	

13. Signature	
14. Date	

15. Other Information	
16. Final Check	

17. Final Review	
18. Approval	



THE DEPARTMENT OF COMMERCE
BUREAU OF STANDARDS
ADABATIC CHART

BASELINE

COPIES OF THE

Figure 1 is a micrograph showing a cross-section of a polymer matrix. The matrix is light gray and contains many small, dark, circular inclusions, which are likely the dispersed phase of a composite material. A scale bar at the bottom left indicates 100 micrometers.

1.0	0.5
1.0	0.5
1.0	0.5


156

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----


1944

9/20/11
10/2/11

This image displays a dense, repeating pattern of small, dark, rectangular shapes arranged in a grid-like fashion. The pattern is highly textured and appears to be a close-up of a material with a woven or knitted structure. The overall effect is a high-contrast, black and white image that resembles a textured surface or a close-up of a material.



ADRIATIC CHART



UNF 197

0697

74422

1034

1905

77-1186

1677-52

1970

... ..

A black and white photograph of a 10x10 grid of 100 small, square tiles. Each tile has a different pattern or color, creating a mosaic effect. The tiles are arranged in a regular grid, with some tiles showing faint text or numbers. The overall image is a high-contrast, grainy scan of a physical object.

1944

A. L. Miller

10	1000	1000000	10000000
10	1000	1000000	10000000
10	1000	1000000	10000000
10	1000	1000000	10000000

1950

21.7 mm (1)

16 mm

16 mm

16 mm



16 mm




16 mm


16 mm

16 mm

16 mm







1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023, 2024, 2025, 2026, 2027, 2028, 2029, 2030, 2031, 2032, 2033, 2034, 2035, 2036, 2037, 2038, 2039, 2040, 2041, 2042, 2043, 2044, 2045, 2046, 2047, 2048, 2049, 2050, 2051, 2052, 2053, 2054, 2055, 2056, 2057, 2058, 2059, 2060, 2061, 2062, 2063, 2064, 2065, 2066, 2067, 2068, 2069, 2070, 2071, 2072, 2073, 2074, 2075, 2076, 2077, 2078, 2079, 2080, 2081, 2082, 2083, 2084, 2085, 2086, 2087, 2088, 2089, 2090, 2091, 2092, 2093, 2094, 2095, 2096, 2097, 2098, 2099, 2100, 2101, 2102, 2103, 2104, 2105, 2106, 2107, 2108, 2109, 2110, 2111, 2112, 2113, 2114, 2115, 2116, 2117, 2118, 2119, 2120, 2121, 2122, 2123, 2124, 2125, 2126, 2127, 2128, 2129, 2130, 2131, 2132, 2133, 2134, 2135, 2136, 2137, 2138, 2139, 2140, 2141, 2142, 2143, 2144, 2145, 2146, 2147, 2148, 2149, 2150, 2151, 2152, 2153, 2154, 2155, 2156, 2157, 2158, 2159, 2160, 2161, 2162, 2163, 2164, 2165, 2166, 2167, 2168, 2169, 2170, 2171, 2172, 2173, 2174, 2175, 2176, 2177, 2178, 2179, 2180, 2181, 2182, 2183, 2184, 2185, 2186, 2187, 2188, 2189, 2190, 2191, 2192, 2193, 2194, 2195, 2196, 2197, 2198, 2199, 2200, 2201, 2202, 2203, 2204, 2205, 2206, 2207, 2208, 2209, 2210, 2211, 2212, 2213, 2214, 2215, 2216, 2217, 2218, 2219, 2220, 2221, 2222, 2223, 2224, 2225, 2226, 2227, 2228, 2229, 2230, 2231, 2232, 2233, 2234, 2235, 2236, 2237, 2238, 2239, 2240, 2241, 2242, 2243, 2244, 2245, 2246, 2247, 2248, 2249, 2250, 2251, 2252, 2253, 2254, 2255, 2256, 2257, 2258, 2259, 2260, 2261, 2262, 2263, 2264, 2265, 2266, 2267, 2268, 2269, 2270, 2271, 2272, 2273, 2274, 2275, 2276, 2277, 2278, 2279, 2280, 2281, 2282, 2283, 2284, 2285, 2286, 2287, 2288, 2289, 2290, 2291, 2292, 2293, 2294, 2295, 2296, 2297, 2298, 2299, 2300, 2301, 2302, 2303, 2304, 2305, 2306, 2307, 2308, 2309, 2310, 2311, 2312, 2313, 2314, 2315, 2316, 2317, 2318, 2319, 2320, 2321, 2322, 2323, 2324, 2325, 2326, 2327, 2328, 2329, 2330, 2331, 2332, 2333, 2334, 2335, 2336, 2337, 2338, 2339, 2340, 2341, 2342, 2343, 2344, 2345, 2346, 2347, 2348, 2349, 2350, 2351, 2352, 2353, 2354, 2355, 2356, 2357, 2358, 2359, 2360, 2361, 2362, 2363, 2364, 2365, 2366, 2367, 2368, 2369, 2370, 2371, 2372, 2373, 2374, 2375, 2376, 2377, 2378, 2379, 2380, 2381, 2382, 2383, 2384, 2385, 2386, 2387, 2388, 2389, 2390, 2391, 2392, 2393, 2394, 2395, 2396, 2397, 2398, 2399, 2400, 2401, 2402, 2403, 2404, 2405, 2406, 2407, 2408, 2409, 2410, 2411, 2412, 2413, 2414, 2415, 2416, 2417, 2418, 2419, 2420, 2421, 2422, 2423, 2424, 2425, 2426, 2427, 2428, 2429, 2430, 2431, 2432, 2433, 2434, 2435, 2436, 2437, 2438, 2439, 2440, 2441, 2442, 2443, 2444, 2445, 2446, 2447, 2448, 2449, 2450, 2451, 2452, 2453, 2454, 2455, 2456, 2457, 2458, 2459, 2460, 2461, 2462, 2463, 2464, 2465, 2466, 2467, 2468, 2469, 2470, 2471, 2472, 2473, 2474, 2475, 2476, 2477, 2478, 2479, 2480, 2481, 2482, 2483, 2484, 2485, 2486, 2487, 2488, 2489, 2490, 2491, 2492, 2493, 2494, 2495, 2496, 2497, 2498, 2499, 2500, 2501, 2502, 2503, 2504, 2505, 2506, 2507, 2508, 2509, 2510, 2511, 2512, 2513, 2514, 2515, 2516, 2517, 2518, 2519, 2520, 2521, 2522, 2523, 2524, 2525, 2526, 2527, 2528, 2529, 2530, 2531, 2532, 2533, 2534, 2535, 2536, 2537, 2538, 2539, 2540, 2541, 2542, 2543, 2544, 2545, 2546, 2547, 2548, 2549, 2550, 2551, 2552, 2553, 2554, 2555, 2556, 2557, 2558, 2559, 2560, 2561, 2562, 2563, 2564, 2565, 2566, 2567, 2568, 2569, 2570, 2571, 2572, 2573, 2574, 2575, 2576, 2577, 2578, 2579, 2580, 2581, 2582, 2583, 2584, 2585, 2586, 2587, 2588, 2589, 2590, 2591, 2592, 2593, 2594, 2595, 2596, 2597, 2598, 2599, 2600, 2601, 2602, 2603, 2604, 2605, 2606, 2607, 2608, 2609, 2610, 2611, 2612, 2613, 2614, 2615, 2616, 2617, 2618, 2619, 2620, 2621, 2622, 2623, 2624, 2625, 2626, 2627, 2628, 2629, 2630, 2631, 2632, 2633, 2634, 2635, 2636, 2637, 2638, 2639, 2640, 2641, 2642, 2643, 2644, 2645, 2646, 2647, 2648, 2649, 2650, 2651, 2652, 2653, 2654, 2655, 2656, 2657, 2658, 2659, 2660, 2661, 2662, 2663, 2664, 2665, 2666, 2667, 2668, 2669, 2670, 2671, 2672, 2673, 2674, 26

ADIABATIC CHART

© 2000 Blackwell Science Ltd *Journal of Internal Medicine* 247: 395–401

1 2 3 4

5 6 7 8

المجلة الدولية لدراسات حقوق الإنسان

[illegible]REMARKS (C) 11-21-1976
11-21-1976 05:25-05:30

1.5

<p>1997</p> <p>1998</p> <p>1999</p> <p>2000</p> <p>2001</p> <p>2002</p> <p>2003</p> <p>2004</p> <p>2005</p> <p>2006</p> <p>2007</p> <p>2008</p> <p>2009</p> <p>2010</p> <p>2011</p> <p>2012</p> <p>2013</p> <p>2014</p> <p>2015</p> <p>2016</p> <p>2017</p> <p>2018</p> <p>2019</p> <p>2020</p> <p>2021</p> <p>2022</p> <p>2023</p> <p>2024</p> <p>2025</p> <p>2026</p> <p>2027</p> <p>2028</p> <p>2029</p> <p>2030</p> <p>2031</p> <p>2032</p> <p>2033</p> <p>2034</p> <p>2035</p> <p>2036</p> <p>2037</p> <p>2038</p> <p>2039</p> <p>2040</p> <p>2041</p> <p>2042</p> <p>2043</p> <p>2044</p> <p>2045</p> <p>2046</p> <p>2047</p> <p>2048</p> <p>2049</p> <p>2050</p> <p>2051</p> <p>2052</p> <p>2053</p> <p>2054</p> <p>2055</p> <p>2056</p> <p>2057</p> <p>2058</p> <p>2059</p> <p>2060</p> <p>2061</p> <p>2062</p> <p>2063</p> <p>2064</p> <p>2065</p> <p>2066</p> <p>2067</p> <p>2068</p> <p>2069</p> <p>2070</p> <p>2071</p> <p>2072</p> <p>2073</p> <p>2074</p> <p>2075</p> <p>2076</p> <p>2077</p> <p>2078</p> <p>2079</p> <p>2080</p> <p>2081</p> <p>2082</p> <p>2083</p> <p>2084</p> <p>2085</p> <p>2086</p> <p>2087</p> <p>2088</p> <p>2089</p> <p>2090</p> <p>2091</p> <p>2092</p> <p>2093</p> <p>2094</p> <p>2095</p> <p>2096</p> <p>2097</p> <p>2098</p> <p>2099</p> <p>2100</p> <p>2101</p> <p>2102</p> <p>2103</p> <p>2104</p> <p>2105</p> <p>2106</p> <p>2107</p> <p>2108</p> <p>2109</p> <p>2110</p> <p>2111</p> <p>2112</p> <p>2113</p> <p>2114</p> <p>2115</p> <p>2116</p> <p>2117</p> <p>2118</p> <p>2119</p> <p>2120</p> <p>2121</p> <p>2122</p> <p>2123</p> <p>2124</p> <p>2125</p> <p>2126</p> <p>2127</p> <p>2128</p> <p>2129</p> <p>2130</p> <p>2131</p> <p>2132</p> <p>2133</p> <p>2134</p> <p>2135</p> <p>2136</p> <p>2137</p> <p>2138</p> <p>2139</p> <p>2140</p> <p>2141</p> <p>2142</p> <p>2143</p> <p>2144</p> <p>2145</p> <p>2146</p> <p>2147</p> <p>2148</p> <p>2149</p> <p>2150</p> <p>2151</p> <p>2152</p> <p>2153</p> <p>2154</p> <p>2155</p> <p>2156</p> <p>2157</p> <p>2158</p> <p>2159</p> <p>2160</p> <p>2161</p> <p>2162</p> <p>2163</p> <p>2164</p> <p>2165</p> <p>2166</p> <p>2167</p> <p>2168</p> <p>2169</p> <p>2170</p> <p>2171</p> <p>2172</p> <p>2173</p> <p>2174</p> <p>2175</p> <p>2176</p> <p>2177</p> <p>2178</p> <p>2179</p> <p>2180</p> <p>2181</p> <p>2182</p> <p>2183</p> <p>2184</p> <p>2185</p> <p>2186</p> <p>2187</p> <p>2188</p> <p>2189</p> <p>2190</p> <p>2191</p> <p>2192</p> <p>2193</p> <p>2194</p> <p>2195</p> <p>2196</p> <p>2197</p> <p>2198</p> <p>2199</p> <p>2200</p> <p>2201</p> <p>2202</p> <p>2203</p> <p>2204</p> <p>2205</p> <p>2206</p> <p>2207</p> <p>2208</p> <p>2209</p> <p>2210</p> <p>2211</p> <p>2212</p> <p>2213</p> <p>2214</p> <p>2215</p> <p>2216</p> <p>2217</p> <p>2218</p> <p>2219</p> <p>2220</p> <p>2221</p> <p>2222</p> <p>2223</p> <p>2224</p> <p>2225</p> <p>2226</p> <p>2227</p> <p>2228</p> <p>2229</p> <p>2230</p> <p>2231</p> <p>2232</p> <p>2233</p> <p>2234</p> <p>2235</p> <p>2236</p> <p>2237</p> <p>2238</p> <p>2239</p> <p>2240</p> <p>2241</p> <p>2242</p> <p>2243</p> <p>2244</p> <p>2245</p> <p>2246</p> <p>2247</p> <p>2248</p> <p>2249</p> <p>2250</p> <p>2251</p> <p>2252</p> <p>2253</p> <p>2254</p> <p>2255</p> <p>2256</p> <p>2257</p> <p>2258</p> <p>2259</p> <p>2260</p> <p>2261</p> <p>2262</p> <p>2263</p> <p>2264</p> <p>2265</p> <p>2266</p> <p>2267</p> <p>2268</p> <p>2269</p> <p>2270</p> <p>2271</p> <p>2272</p> <p>2273</p> <p>2274</p> <p>2275</p> <p>2276</p> <p>2277</p> <p>2278</p> <p>2279</p> <p>2280</p> <p>2281</p> <p>2282</p> <p>2283</p> <p>2284</p> <p>2285</p> <p>2286</p> <p>2287</p> <p>2288</p>

UNITED STATES DEPARTMENT OF JUSTICE

[Faint handwritten notes]

1969-11-11

[illegible]

100-443887-100

BA
2
C
24P
1

Rotat
Rotat
Rotat
Flash

F--
FI--

Obstr
Obstr
(No
Group
From

Moor
Isogr

Restr



U S. PROHIBITED, RESTRICTED, CAUTION, AND WARNING AREAS
ON WORLD AERONAUTICAL CHART 307


NO.	NAME	ACTIVITY	CONTROLLING AGENCY	ALTITUDE	TIME
C-201	Lincoln	Acrobatics	NAS Lincoln, Nebr.	2,700-28,000	Days
C-486	Mankato	Acrobatics	NAS Minneapolis, Minn.	6,000-40,000	Days VFR

Altitude given in feet. P - Prohibited R - Restricted C - Caution W - Warning 6-15-55
Unauthorized flight is not permitted within a Prohibited Area, or within a Restricted Area during the time of use and between the altitudes noted
in the tabulation (Authorization may be granted by the controlling agency or by Executive Order of the President).
Flight within Caution Areas is not restricted, but pilots are advised to exercise extreme caution.

TELEPHONE



POMPANO BEACH, FLORIDA



NOVEMBER 5, 1963

FLIGHT INFORMATION CENTER
CIVIL AERONAUTICS ADMINISTRATION
HURON, SOUTH DAKOTA

GENTLEMEN:

YOU MIGHT BE INTERESTED IN A MOST UNUSUAL SIGHTING THAT OCCURRED IN YOUR AREA DURING THE LATE AFTERNOON OF OCTOBER 25, 1963, DURING THE COURSE OF A VFR FLIGHT PLAN FILED BY BONANZA [REDACTED] BETWEEN ST. LOUIS AND MITCHELL.

THE AIRCRAFT WAS BRUISING AT A TRUE AIRSPEED OF 170 MPH AT AN ALTITUDE OF 6500 FEET ON A HEADING OF 310 MAGNETIC. THE SKY CONDITION WAS CLEAR WITH WINDS FROM THE SOUTHWEST AT APPROXIMATELY 15 KNOTS. AT APPROXIMATELY 1845, WHAT APPEARED TO BE AN UNUSUAL CLOUD WAS SIGHTED BEARING SOUTH. THIS OBJECT SEEMED TO BE SOMEWHERE NORTH OF THE TYNDALL INTERSECTION.

IT FIRST WAS NOTICED AS A DARK, SHARPLY DEFINED MASS, WHICH APPEARED TO BE SLIGHTLY ABOVE OUR ALTITUDE. AT FIRST STUDY IT WAS JUDGED TO BE A LARGE TANKER MAKING DROGUE CONTACT, SINCE THERE WAS A SMALL OBJECT BEHIND IT. IT APPEARED TO BE PARALLELING OUR COURSE. IT THEN BEGAN TO GROW LARGER. ALTHOUGH THE OUTLINES WERE EXTREMELY SHARP AND CONSCISE, IT DID NOT HAVE AN IDENTIFIABLE AIRCRAFT SHAPE.

WE TURNED TOWARDS THE OBJECT. A LACK OF RELATIVE MOVEMENT INDICATED IT WAS NOT AN AIRCRAFT, PROBABLY A CLOUD. HOWEVER, THE SMALL ADJACENT SPECK BEGAN TO GROW LARGER AND THE MAIN OBJECT BEGAN TO SHRINK IN SIZE AND THE WHOLE MASS APPEARED TO RECEDE. AT THIS POINT WE TURNED BACK TO OUR ORIGINAL COURSE TOWARDS MITCHELL. AT THAT TIME THE SINGLE REMAINING MASS DISINTEGRATED INTO APPROXIMATELY 10 TO 20 SMALL OBJECTS AND THE WHOLE GROUP DISAPPEARED WITH THE EXCEPTION OF ONE PRONOUNCED DOT, WHICH LOOKED VERY MUCH LIKE AN AIRCRAFT FROM THE REAR. THIS DOT BECAME PROGRESSIVELY SMALLER AND WE DISCONTINUED OUR WATCH.

AERONAUTICAL SYMBOLS

AERODROMES

Aerodromes with facilities

LAND

WATER



Civil



Joint Civil and Military



Military

Aerodromes with emergency or no facilities

LAND

WATER



Landing Area



Sheltered Anchorage

AERODROME DATA AND LANDING FACILITIES INFORMATION

LAND

WATER

BARGERSVILLE
908 L H 41
Airport of entry
GCA ILS DF
278 119.5 118.1
126.18 257.8

009 Elevation in feet
L Minimum lighting
H Hard surfaced runway
41 Length of longest runway
in hundreds of feet

00 Elevation in feet
L Minimum lighting
S Normal sheltered take-off area
62 Length of longest runway
in hundreds of feet

NAS ANACOSTIA
00 L S 62
2870

The facility code character is replaced by a dash if specific information is not available or if the facility itself is not available.

GCA ILS

DF

278 119.5 118.1 126.18 257.8

Controlled approach systems.
Direction finding station.

Control tower transmitting frequencies

Low or medium tower frequency shown first, followed in order by primary VHF local control, VHF approach control, and VHF and UHF military frequencies

AIR NAVIGATION LIGHTS

Rotating Light ----- ★

Rotating Light (With flashing code lights) ----- ★

Rotating Light (With course lights and site number) ----- 12 ★

Flashing Light ----- Fl ★

Flashing Light (With code) ----- Fl ★

Lightship ----- ★

Marine Light ----- Occ WRG ●

F—Fixed
Fl—Flashing

Q—Quick Flashing

Q—Interrupted Quick Flashing

Occ—Occulting

Alt—Alternating

Gr—Group

R—Red

W—White

G—Green

B—Blue

(U)—Unwatched

SEC—Sector

sec—Second

Marine lights are white unless colors are indicated; alternating lights are red and white unless otherwise indicated

MISCELLANEOUS

Obstruction, less than 500 feet above ground ----- 1219 ▲

Obstruction, 500 feet or higher above ground ----- 1219 ▲
(Numerals indicate elevation above sea level of top)

Group Obstruction ----- ▲

Prominent Transmission Line ----- ————

Mooring Mast ----- ————

Isogonic Line ----- ———— 4°E ————
Values for 1955

Reporting Point (Compulsory) ----- ▲


Reporting Point (Non-compulsory) ----- ▲

Ocean Station Vessel (Normal position) ----- ————


International Boundary ----- ————
(Closed to passage of aircraft except through air corridor)



Prohibited Area — Flight of aircraft prohibited except by specific authority of using agency



Restricted or Warning Area — Invisible hazards to air navigation



Caution Area — Visible hazards to air navigation

AERONAUTICAL SYMBOLS

RADIO FACILITIES

All radio facility data are printed in blue with the exception of certain LF/MF facilities such as tower frequencies, radio ranges and associated airways, which are printed in magenta.

Methods of indicating specific voice and CW calls are shown below

Use of the word "Radio" within the box indicates voice facilities.

Radio Range (With voice)

Radio Communication Station (With voice)

Radio Range (Without voice)

Radio Communication Station (Without voice)

Nondirectional Radiobeacon (With voice)

Radio Broadcasting Station


Nondirectional Radiobeacon (Without voice)

Radar Beacon (Racon)

Marine Radiobeacon (Without voice)


Radio Fan Marker Beacons

LF/MF AURAL RANGE




The heavy line indicates the "N" quadrant. The bearings shown are magnetic and the magnetic variation at the position of the ground station is used for computing them.

VHF OMNI-DIRECTIONAL RANGE (VOR)



Bearings are magnetic from the station. Radius of circle is 15 nautical miles.

VHF FOUR COURSE VISUAL-AURAL RANGE (VAR)



Letter preceding frequency in box indicates channel identification.

AIR TRAFFIC CONTROL

Blue tint where shown indicates controlled airspace

(Within continental U.S. all airspace at and above 21000 feet MSL except prohibited and restricted areas is controlled, and blue tint indicates only controlled airspace below 21000 feet)

Controlled Civil Airway

Civil airways within continental U.S. effective only below 27000 feet MSL

Uncontrolled Civil Airway

Metropolitan

Large City

Cities

Small City

Large Town

Towns & Villages

Contours

Levees or Dikes

Bluffs, Cliffs

Swamps & Marshes

Tidal Flats

(Exposed at Low Tide)

Danger Light

Rocks Awa

Shoals

(Exposed at Low Tide)

Springs

Wells & Ponds

Reefs, Corals

(Awash at Low Tide)

Landmarks

(Numerals in box)

Oil Tanks

Oil Fields

Dams

Elevations

(In feet)

Mines and Quarries

Mountains

Lookout Stations

Coast Guard

Pipe Lines

Power Lines

Swamps

TOPOGRAPHICAL SYMBOLS

CITIES AND TOWNS

Metropolitan Areas	NEW YORK	
Large Cities	RICHMOND	
Cities	ARLINGTON	
Small Cities	Freehold	
Large Towns	Corville	
Towns & Villages	Arcola	

HIGHWAYS AND ROADS

Dual Lane and Super Highways	
Primary Roads	
Secondary Roads	
Trails	
U. S. Road Markers	
National, State or Provincial Road Markers	
Road Names	ALASKA HIGHWAY

RELIEF FEATURES

Contours	<div><div>Reliable</div><div>Approximate</div><div>Depression</div></div>		
Levees or Eskers			
Hachures			
Bluffs, Cliffs & Escarpments			
	Sand	<div><div>Dunes</div><div>Areas</div><div>Ridges</div></div>	
	Lava Flow		

HYDROGRAPHIC FEATURES

Swamps & Marshes.....		<div>Perennial.....</div> <div>Intermittent.....</div> <div>Probable or Unsurveyed.....</div> <div>Braided.....</div>	
Tidal Flats..... (Exposed at low tide)			
Danger Line.....			
Rocks Awash.....			
Shoals..... (Exposed at low tide)			
Springs.....			
Wells & Water Holes.....			
Reefs, Coral & Rocky Ledges..... (Awash at low tide)			
Streams & Rivers.....			
Intermittent Lakes (blue stipple).....			
Drainage Ditches.....			
Canals { In use..... Abandoned.....			
Dry Lake Beds (brown stipple).....			
Sand Deposits in river bed.....			
Dry Washes (brown stipple).....			
Glaciers and Ice Caps.....			

CULTURAL AND MISCELLANEOUS

Landmarks (with appropriate note) (Numerals indicate elevation above sea level of top)	■ Factory ■ Stack 875'	
Oil Tanks	• • • •	
Oil Fields	A A	
Dams		
Elevations (In feet)	Highest on chart (Highest on chart is devoid of tint) Highest in a general area Spot	1115 1085 950
Mines and Quarries	⋈	
Mountain Passes) (
Lookout Stations (Elevation is base of tower)	⊙ 75 (Site) 1025' (Elev)	
Coast Guard Stations	⬠ CG 79	
Pipe Lines	PIPE LINE	
Race Tracks or Stadiums	⬢ RT	
Stranded Wrecks		
Boundaries	International State & Provincial	
Railroads	Abandoned or Under Construction Single Track Multiple Track Sidings & Spurs Overpass Underpass	
Bridges	Railroad Highway	
Tunnels	Railroad Highway	

DATA PROCESSING DIVISION
CLIMATIC CENTER, USAF
Air Weather Service (MATS)
Asheville, North Carolina

REF ID:
ATTN OF: 00070

SUBJECT: Upper Air Data for Sioux City Area

30 Jan 1964


TO: Aerospace Technical Intelligence Center/TDE
Foreign Data Division (Sgt. Wood)
Wright-Patterson AFB, Ohio

1. Reference: Your telephone conversation with Mr. Worley of this Division at 1115 EST on 28 January 1964.
2. Upper air data are not recorded at Sioux City, Iowa. However, we are sending a photocopy of the WEA-31 forms recorded on 25 October 1963 at Omaha, Nebraska, approximately 75 miles south of Sioux City. Similar data for North Platte, Nebraska, are also included to provide additional coverage for the area.


FOR THE DIRECTOR

James R. DeCoster
JAMES R. DECOSTER
Chief, Data Processing Division

Atch
Photocopies as stated



U.S. DEPARTMENT OF COMMERCE
NAVY BUREAU
ADIABATIC CHART



TEMPERATURE (°C)

TEMPERATURE (°C)

TEMPERATURE (°C)

TEMPERATURE (°C)

TEMPERATURE (°C)

TEMPERATURE (°C)

TEMPERATURE (°C)

TEMPERATURE (°C)

TEMPERATURE (°C)

TEMPERATURE (°C)

TEMPERATURE (°C)



TEMPERATURE (°C)

TEMPERATURE (°C)

TABLE 1.0 - CONVERSION TABLE

TEMPERATURE (°C)	TEMPERATURE (°F)	TEMPERATURE (°R)	TEMPERATURE (°K)
0	32	491.67	273.15
10	50	518.67	283.15
20	68	545.67	293.15
30	86	572.67	303.15
40	104	599.67	313.15
50	122	626.67	323.15
60	140	653.67	333.15
70	158	680.67	343.15
80	176	707.67	353.15
90	194	734.67	363.15
100	212	761.67	373.15
110	230	788.67	383.15
120	248	815.67	393.15
130	266	842.67	403.15
140	284	869.67	413.15
150	302	896.67	423.15
160	320	923.67	433.15
170	338	950.67	443.15
180	356	977.67	453.15
190	374	1004.67	463.15
200	392	1031.67	473.15
210	410	1058.67	483.15
220	428	1085.67	493.15
230	446	1112.67	503.15
240	464	1139.67	513.15
250	482	1166.67	523.15
260	500	1193.67	533.15
270	518	1220.67	543.15
280	536	1247.67	553.15
290	554	1274.67	563.15
300	572	1301.67	573.15
310	590	1328.67	583.15
320	608	1355.67	593.15
330	626	1382.67	603.15
340	644	1409.67	613.15
350	662	1436.67	623.15
360	680	1463.67	633.15
370	698	1490.67	643.15
380	716	1517.67	653.15
390	734	1544.67	663.15
400	752	1571.67	673.15
410	770	1598.67	683.15
420	788	1625.67	693.15
430	806	1652.67	703.15
440	824	1679.67	713.15
450	842	1706.67	723.15
460	860	1733.67	733.15
470	878	1760.67	743.15
480	896	1787.67	753.15
490	914	1814.67	763.15
500	932	1841.67	773.15
510	950	1868.67	783.15
520	968	1895.67	793.15
530	986	1922.67	803.15
540	1004	1949.67	813.15
550	1022	1976.67	823.15
560	1040	2003.67	833.15
570	1058	2030.67	843.15
580	1076	2057.67	853.15
590	1094	2084.67	863.15
600	1112	2111.67	873.15
610	1130	2138.67	883.15
620	1148	2165.67	893.15
630	1166	2192.67	903.15
640	1184	2219.67	913.15
650	1202	2246.67	923.15
660	1220	2273.67	933.15
670	1238	2300.67	943.15
680	1256	2327.67	953.15
690	1274	2354.67	963.15
700	1292	2381.67	973.15
710	1310	2408.67	983.15
720	1328	2435.67	993.15
730	1346	2462.67	1003.15
740	1364	2489.67	1013.15
750	1382	2516.67	1023.15
760	1400	2543.67	1033.15
770	1418	2570.67	1043.15
780	1436	2597.67	1053.15
790	1454	2624.67	1063.15
800	1472	2651.67	1073.15
810	1490	2678.67	1083.15
820	1508	2705.67	1093.15
830	1526	2732.67	1103.15
840	1544	2759.67	1113.15
850	1562	2786.67	1123.15
860	1580	2813.67	1133.15
870	1598	2840.67	1143.15
880	1616	2867.67	1153.15
890	1634	2894.67	1163.15
900	1652	2921.67	1173.15
910	1670	2948.67	1183.15
920	1688	2975.67	1193.15
930	1706	3002.67	1203.15
940	1724	3029.67	1213.15
950	1742	3056.67	1223.15
960	1760	3083.67	1233.15
970	1778	3110.67	1243.15
980	1796	3137.67	1253.15
990	1814	3164.67	1263.15
1000	1832	3191.67	1273.15


TEMPERATURE (°C)	TEMPERATURE (°F)	TEMPERATURE (°R)	TEMPERATURE (°K)
0	32	491.67	273.15
10	50	518.67	283.15
20	68	545.67	293.15
30	86	572.67	303.15
40	104	599.67	313.15
50	122	626.67	323.15
60	140	653.67	333.15
70	158	680.67	343.15
80	176	707.67	353.15
90	194	734.67	363.15
100	212	761.67	373.15
110	230	788.67	383.15
120	248	815.67	393.15
130	266	842.67	403.15
140	284	869.67	413.15
150	302	896.67	423.15
160	320	923.67	433.15
170	338	950.67	443.15
180	356	977.67	453.15
190	374	1004.67	463.15
200	392	1031.67	473.15



PAULINE COLLEGE

1945-1946
 1947-1948
 1949-1950
 1951-1952
 1953-1954
 1955-1956
 1957-1958
 1959-1960
 1961-1962
 1963-1964
 1965-1966
 1967-1968
 1969-1970
 1971-1972
 1973-1974
 1975-1976
 1977-1978
 1979-1980
 1981-1982
 1983-1984
 1985-1986
 1987-1988
 1989-1990
 1991-1992
 1993-1994
 1995-1996
 1997-1998
 1999-2000
 2001-2002
 2003-2004
 2005-2006
 2007-2008
 2009-2010
 2011-2012
 2013-2014
 2015-2016
 2017-2018
 2019-2020
 2021-2022
 2023-2024
 2025-2026
 2027-2028
 2029-2030
 2031-2032
 2033-2034
 2035-2036
 2037-2038
 2039-2040
 2041-2042
 2043-2044
 2045-2046
 2047-2048
 2049-2050
 2051-2052
 2053-2054
 2055-2056
 2057-2058
 2059-2060
 2061-2062
 2063-2064
 2065-2066
 2067-2068
 2069-2070
 2071-2072
 2073-2074
 2075-2076
 2077-2078
 2079-2080
 2081-2082
 2083-2084
 2085-2086
 2087-2088
 2089-2090
 2091-2092
 2093-2094
 2095-2096
 2097-2098
 2099-2100
 2101-2102
 2103-2104
 2105-2106
 2107-2108
 2109-2110
 2111-2112
 2113-2114
 2115-2116
 2117-2118
 2119-2120
 2121-2122
 2123-2124
 2125-2126
 2127-2128
 2129-2130
 2131-2132
 2133-2134
 2135-2136
 2137-2138
 2139-2140
 2141-2142
 2143-2144
 2145-2146
 2147-2148
 2149-2150
 2151-2152
 2153-2154
 2155-2156
 2157-2158
 2159-2160
 2161-2162
 2163-2164
 2165-2166
 2167-2168
 2169-2170
 2171-2172
 2173-2174
 2175-2176
 2177-2178
 2179-2180
 2181-2182
 2183-2184
 2185-2186
 2187-2188
 2189-2190
 2191-2192
 2193-2194
 2195-2196
 2197-2198
 2199-2200
 2201-2202
 2203-2204
 2205-2206
 2207-2208
 2209-2210
 2211-2212
 2213-2214
 2215-2216
 2217-2218
 2219-2220
 2221-2222
 2223-2224
 2225-2226
 2227-2228
 2229-2230
 2231-2232
 2233-2234
 2235-2236
 2237-2238
 2239-2240
 2241-2242
 2243-2244
 2245-2246
 2247-2248
 2249-2250
 2251-2252
 2253-2254
 2255-2256
 2257-2258
 2259-2260
 2261-2262
 2263-2264
 2265-2266
 2267-2268
 2269-2270
 2271-2272
 2273-2274
 2275-2276
 2277-2278
 2279-2280
 2281-2282
 2283-2284
 2285-2286
 2287-2288
 2289-2290
 2291-2292
 2293-2294
 2295-2296
 2297-2298
 2299-2300
 2301-2302
 2303-2304
 2305-2306
 2307-2308
 2309-2310
 2311-2312
 2313-2314
 2315-2316
 2317-2318
 2319-2320
 2321-2322
 2323-2324
 2325-2326
 2327-2328
 2329-2330
 2331-2332
 2333-2334
 2335-2336
 2337-2338
 2339-2340
 2341-2342
 2343-2344
 2345-2346
 2347-2348
 2349-2350
 2351-2352
 2353-2354
 2355-2356
 2357-2358
 2359-2360
 2361-2362
 2363-2364
 2365-2366
 2367-2368
 2369-2370
 2371-2372
 2373-2374
 2375-2376
 2377-2378
 2379-2380
 2381-2382
 2383-2384
 2385-2386
 2387-2388
 2389-2390
 2391-2392
 2393-2394
 2395-2396
 2397-2398
 2399-2400
 2401-2402
 2403-2404
 2405-2406
 2407-2408
 2409-2410
 2411-2412
 2413-2414
 2415-2416
 2417-2418
 2419-2420
 2421-2422
 2423-2424
 2425-2426
 2427-2428
 2429-2430
 2431-2432
 2433-2434
 2435-2436
 2437-2438
 2439-2440
 2441-2442
 2443-2444
 2445-2446
 2447-2448
 2449-2450
 2451-2452
 2453-2454
 2455-2456
 2457-2458
 2459-2460
 2461-2462
 2463-2464
 2465-2466
 2467-2468
 2469-2470
 2471-2472
 2473-2474
 2475-2476
 2477-2478
 2479-2480
 2481-2482
 2483-2484
 2485-2486
 2487-2488
 2489-2490
 2491-2492
 2493-2494
 2495-2496
 2497-2498
 2499-2500
 2501-2502
 2503-2504
 2505-2506
 2507-2508
 2509-2510
 2511-2512
 2513-2514
 2515-2516
 2517-2518
 2519-2520
 2521-2522
 2523-2524
 2525-2526
 2527-2528
 252

1891-1892





11-10-1964

1000

1891

Figure 1 displays a 4x4 grid of 16 small images, each showing a different pattern of white and black pixels. These patterns are combinations of the four basic patterns (A, B, C, D) arranged in a 2x2 grid. The patterns are labeled A, B, C, and D in the top-left corner of each image.





NOVEMBER 5, 1963

AT APPROXIMATELY 1900 WE DISCOVERED THAT THE SHAPE WAS RETURNING AND WE IMMEDIATELY TURNED TOWARDS IT ON A HEADING OF 180. AT THIS TIME THE SUN WAS OVER THE HORIZON BUT THERE WAS CONSIDERABLE LIGHT IN THE SKY AND THE OBJECT WAS CLEARLY BACK-LIGHTED AND THUS SHARPLY ETCHED AGAINST THE SKY.

AT THAT TIME THE RANGE WAS IMPOSSIBLE TO ASSUME. THE OBJECT LOOKED LIKE A 707 MIGHT APPEAR IN A DISTANCE OF TWO MILES, HEAD ON. AT THAT DISTANCE THE INCREASE IN SIZE STOPPED. A SMALL DOT APPEARED TO THE EAST SIDE OF THE MASS. THE DOT BEGAN TO GROW IN SIZE AND THE MAIN MASS BEGAN TO SHRINK. FINALLY THE TWO OBJECTS HAD COMPLETELY CHANGED POSITIONS, THE DOT WAS AS LARGE AS THE ORIGINAL MASS AND THE ORIGINAL MASS WAS GONE. WE CONTINUED ON THIS HEADING TOWARDS THE OBJECT UNTIL 1915. SINCE THE RANGE THEN APPEARED TO BE OPENING AND IT WAS FAST BECOMING DARK, WE DISCONTINUED THE CHASE AND RETURNED TO MITCHELL, LANDING AT APPROXIMATELY 1940.

MY OWN EXPERIENCE AS A RESERVE MILITARY JET PILOT AND THAT OF THE PILOT [REDACTED], LEFT US WITH NO CONCLUSIONS. IT WAS QUITE OBVIOUSLY WAS NO AIRCRAFT, SINCE AIRCRAFT DO NOT CHANGE SHAPE AND SIZE. FURTHER, THE RELATIVE MOVEMENT DID NOT FIT AN AIRCRAFTS COURSE. ALTHOUGH IT RESEMBLED A CLOUD OF SMOKE THAT COULD HAVE BEEN CAUSED BY ALTITUDE GUNNERY, THE RAPID CHANGE OF SIZE, DISAPPEARANCE AND REAPPEARANCE AND OUR INABILITY TO CLOSE THE RANGE CONSISTENTLY WOULD SEEM TO RULE OUT ANY CONDENSATION. AN EXTREMELY DENSE FLIGHT OF BIRDS COULD HAVE ACCOUNTED FOR THE UNUSUAL MOVEMENTS OF THE SHAPES, BUT AT OUR SPEED WE WOULD HAVE CLOSED ON SUCH A FLOCK.


AFTER A GREAT DEAL OF DISCUSSION, WE WERE FORCED TO CONCEDE THAT IT WAS SIMPLY AN UNIDENTIFIED FLYING OBJECT.

IF THERE IS ANY FURTHER INFORMATION WE CAN ADD, PLEASE FEEL FREE TO CONTACT ME AT THE ABOVE ADDRESS OR MR. [REDACTED] SPARTA, ILLINOIS.

RESPECTFULLY,

[REDACTED SIGNATURE]

RCR/R



SIOUX CITY, IOWA

25 OCT 63, CASE INCLUDES


18 ADIABATIC CHARTS

+


ONE AERONAUTICAL CHART

(Joins 306)

1843
1843
1843












TO REFERENCE BY THE GEOREF (SHOWN IN BLUE) TO MINUTES
(Select nearest intersection south and west of point)


- Sample Point: ELWOOD
1. FJ identifies basic 15' quadrangle
 2. FL identifies 1" quadrangle
 3. 08 identifies Georef minute of longitude
 4. 35 identifies Georef minute of latitude
 5. Sample reference: FJFL0835



(307)

PRICE 25 CENTS


Principal Sources: U. S. Geological Survey, U. S. Army Corps of Engineers, U. S. Air Force, U. S. Dept. of Agriculture, Civil Aeronautics Administration, and the U. S. Coast and Geodetic Survey.



Compiled and printed at Washington, D. C. by the U. S. Coast and Geodetic Survey
under authority of the Secretary of Commerce
FEBRUARY 1945 Revised OCTOBER 1957 BASE NO 4

See legend on back of chart for vertical
limits of civil airways and control areas






NOTE: It is requested that users of this chart indicate corrections and additions which come to their attention and notify THE DIRECTOR, U.S. COAST AND GEODETIC SURVEY, WASHINGTON 25, D.C.

500 feet or higher above ground Under construction, position and elevation unverified

SCALE 1:1,000,000
GEOREF 1256



The Federal Government disclaims responsibility for any federal navigational facilities

26TH EDITION Aeronautical information on this chart includes data received through Dec 5, 1957. Consult appropriate NOTAMS and Radio Facility Charts for supplemental data and current information. Next edition is scheduled in approximately six months.

PLATTE RIVER (307)
UNITED STATES
U.S. AIR FORCE EDITION

Report

U.F.O. SIGHTING

DATE: October 25, 1963

TIME: Approximately 10 minutes before sunset.

LOCATION: Ten miles N-Nw of the Sioux City airport
on course for Mitchell, South Dakota.

ALTITUDE: 5,000 feet.

AIRCRAFT: Single engine Bonanza - [REDACTED]

PILOT: [REDACTED] - 43
[REDACTED]
Sparta, Illinois
Private pilot since 1936. 3,000 hours plus.


PASSENGERS: [REDACTED] - 43
[REDACTED]
Fommano Beach, Florida
[REDACTED] is a Naval aviator since World
War II, with experience in all types up to
the F9F-7.
[REDACTED], III - 12
[REDACTED]
Sparta, Illinois

VISIBILITY: Excellent.

WEATHER: Clear.

CLOUD COVER: One tiny cloud was visible in the area of
sunset; otherwise, the entire sky was clear.

Initial sighting was by [REDACTED] at the 8 o'clock position,
or a true bearing of about 265° and approximately 3° above the
horizon. The first impression was that of a KC-135 in a re-
fueling operation with a fighter and there appeared to be some
smoke aft the fighter. This was observed for two or three



1:1,000,000
REF 12-55

26 TH EDITION Aeronautical information on this chart includes data received through Dec 5, 1957. Consult appropriate NOTAMS and Radio Facility Charts for supplemental data and current information. Next edition is scheduled in approximately six months.

PLATTE RIVER (307)

UNITED STATES

U.S. AIR FORCE EDITION

1. Aeronautical Charts, Maps and Publications distributed by the Aeronautical Chart and Information Center are indexed or listed in the current edition of the "USAF Catalog of Aeronautical Charts and Aeronautical Information Publications". A Bulletin is also published twice monthly which contains important information such as new editions of charts available, replacement charts, hazardous charts, chart correction notices and other pertinent information pertaining to charts and supply.

2. Requisitioning.

a. Outside Continental United States: USAF activities are to submit requisitions to the appropriate Aeronautical Chart and Information Office located within the applicable theater, in accordance with existing theater directives.

b. Within Continental United States: USAF activities are to submit requisitions to Commanding Officer, Aeronautical Chart and Information Center, 2nd and Arsenal Sts., St. Louis 18, Missouri, Attention: Distribution Division. Requisitions will be submitted on available requisition forms or by letter in quadruplicate. When demand is urgent, service may be used. Requisitions submitted from a Base or Station will bear the signature, or approval by endorsement, of the Operations officer. Requisitions from Air Force, Wing, or Command Headquarters will bear the signature of the appropriate staff officer. Quantities of charts and maps requested are to be such as to assure the maintenance of a thirty (30) day supply at all times, but not to exceed a sixty (60) day supply.


3. USAF Requirements for Special Purpose Maps and Charts: Maps and charts for special purposes, specific missions, and also those maps and charts published by other government agencies which may not be listed in the principal types of aeronautical charts in the current edition of the "USAF Catalog of Aeronautical Charts and Aeronautical Information Publications" should be requested from USAF Aeronautical Chart and Information Center, when the request originates in the United States. For those USAF requests originating outside the continental United States, the applicable theater USAF Aeronautical Chart and Information Office should be contacted. Charts will be furnished, if available, when sufficiently identified in requisitions as to name or number, scale, projection and publisher. If this information is unknown to requestor, a description of the information required on chart or map should be furnished.

4. Obsolete Charts: Aeronautical charts rendered obsolete by printing of a new edition shall be salvaged if not practicable to correct for conformity with new edition. Disposition is to be made in accordance with provisions of AFR 67-3. Disposition of classified charts is to be made in accordance with provisions of AFR 205-1.

RADIO TELEGRAPH CODE AND PHONETIC ALPHABET

INTERNATIONAL (ICAO)

A—ALFA	K—KILLO	U—UNIFORM	0—ZERO
B—BRAVO	L—LIMA	V—VICTOR	1—WUN
C—CHARLIE	M—MIKE	W—WHISKEY	2—TOO
D—DELTA	N—NOVEMBER	X—XRAY	3—TREE
E—ECHO	O—OSCAR	Y—YANKEE	4—FOUR
F—FOXTROT	P—PAPA	Z—ZULU	5—FIVE
G—GOLF	Q—QUEBEC		6—SIX
H—HOTEL	R—ROMEO		7—SEVEN
I—INDIA	S—SIERRA		8—AIT
J—JULIETT	T—TANGO		9—NINE



1. Aeronautical Charts, Maps and Publications distributed by the Aeronautical Chart and Information Center are indexed or listed in the current edition of the "USAF Catalog of Aeronautical Charts and Aeronautical Information Publications". A Bulletin is also published twice monthly which contains important information such as new editions of charts available, replacement charts, hazardous charts, chart correction notices and other pertinent information pertaining to charts and supply.

a. Outside Continental United States: USAF activities are to submit requisitions to the appropriate Aeronautical Chart and Information Office located within the applicable theater, in accordance with existing theater directives.

b. Within Continental United States: USAF activities are to submit requisitions to Commanding Officer, Aeronautical Chart and Information Center, 2nd and Arsenal Sts., St. Louis 18, Missouri, Attention: Distribution Division. Requisitions will be submitted on available requisition forms or by letter in quadruplicate. When demand is urgent, wire service may be used. Requisitions submitted from a Base or Station will bear the signature, or approval by indorsement, of the Operations officer. Requisitions from Air Force, Wing, or Command Headquarters will bear the signature of the appropriate staff officer. Quantities of charts and maps requested are to be such as to assure the maintenance of a thirty (30) day supply at all times, but not to exceed a sixty (60) day supply.

3. **USAF Requirements for Special Purpose Maps and Charts:** Maps and charts for special purposes, specific missions, and also those maps and charts published by other government agencies which may not be listed in the principal types of aeronautical charts in the current edition of the "USAF Catalog of Aeronautical Charts and Aeronautical Information Publications" should be requisitioned from USAF Aeronautical Chart and Information Center, when the request originates in the United States. For those USAF requests originating outside the continental United States, the applicable theater USAF Aeronautical Chart and Information Office should be contacted. Charts will be furnished, if available, when sufficiently identified in requisitions as to name or number, scale, projection and publisher. If this information is unknown to requestor, a description of the information required on chart or map should be furnished.

4. **Obsolete Charts:** Aeronautical charts rendered obsolete by printing of a new edition shall be salvaged if not practicable to correct for conformity with new edition. Disposition is to be made in accordance with provisions of AFR 67-3. Disposition of classified charts is to be made in accordance with provisions of AFR 205-1.



A—ALFA	K—KILO	U—UNIFORM	0—ZE-RO
B—BRAVO	L—LIMA	V—VICTOR	1—WUN
C—CHARLIE	M—MIKE	W—WHISKEY	2—TOO
D—DELTA	N—NOVEMBER	X—XRAY	3—TREE
E—ECHO	O—OSCAR	Y—YANKEE	4—FOUR
F—FOXTROT	P—PAPA	Z—ZULU	5—FIVE
G—GOLF	Q—QUEBEC		6—SIX
H—HOTEL	R—ROMEO		7—SEVEN
I—INDIA	S—SIERRA		8—EIT
J—JULIETT	T—TANGO		9—NINE





NOTE: It is requested that users of this chart indicate corrections and additions which come to their attention and notify THE DIRECTOR, U.S. COAST AND GEODETIC SURVEY, WASHINGTON 25, D.C.

Obstructions
Under construction, position, height and elevation unverified
500 feet or higher above ground
Less than 500 feet above ground
Under construction, position, height and elevation unverified

SCALE 1:1,000,000
GEOREF 12 56



SOUTH POLAR AREA




*Indicates that there is not sufficient information available to compile charts in this area at a scale of 1:1,000,000. Requisitions for these charts will be filed with the appropriate Universal Water Chart.

U. S. Army
of Agriculture, Civil
and Geodetic Survey.


Compiled and printed at Washington, D. C. by the U. S. Coast and Geodetic Survey
under authority of the Secretary of Commerce
Revised OCTOBER 1957
BASE NO. 4

See legend on back of chart for vertical
limits of civil airways and control areas



WORLD AERONAUTICAL CHART INDEX

Scale of Series 1:1,000,000



Charts published ☐
Charts not published ☐

UNIVERSAL WATER CHARTS
Universal Water Charts (Scale 1:1,000,000; size 29 x 22 inches) covering 4° of lat.
have been published for use in place of the World Aeronautical Charts in water areas.
The user must insert the appropriate long. values for the particular area desired.
Water tint is printed within the normal geographical limits and the chart is designed
for use in both north and south latitudes.
NOTE: Requisition these charts by name and latitude interval.
Catalogue No. 1-275-10-1 WATER-47/52

1 - 30 NOVEMBER 1963 SIGHTINGS

DATE	LOCATION	OBSERVER	EVALUATION
2	St. Peter, Illinois	Civilians	Astro (METEOR)
2	Bean Blossom, Indiana		Astro (METEOR)
3	40.00N 174.00W (Pacific)	Military	INSUFFICIENT DATA
5	Kindley AFB, Bermuda	Military	Astro (JUPITER)
5	Nebraska - Iowa	Civilian - Military	Astro (METEOR)
8	Conde, Bahia, Brazil	Civilian	Other (HOAX)
11	Duncanville, Texas		INSUFFICIENT DATA
11	40N 173W (Pacific)	Military	INSUFFICIENT DATA
12	St. Claire County, Michigan	Multiple	AIRCRAFT
14	Stead AFB, Nevada		Other (MISSILE)
16	35.5N 72 5W (Atlantic)	Military	Other (FLARE)
17	33N 177W (Pacific)	Multiple	Astro (METEOR)
18	New Platz, New York	Multiple	Astro (METEOR)
18	32.10N 177.20W (Pacific)	Military	SATELLITE
19	Mt. Dora, Florida	Civilian	Other (UNRELIABLE REPORT)
19	Phoenix, Arizona		Astro (SPICA)
19	37.00N 173.30W (Pacific)	Military	Astro (METEOR)
21	West Nyak, New York		Astro (METEOR)
21	41.50N 60.30W (Atlantic)	Military	AIRCRAFT
27	Kenema, Sierra Leone, Africa		Other (MISSILE)
27	Monrovia, Liberia, Africa	Multiple	Other (MISSILE)
27	Pennsylvania		Astro (METEOR)
30	Knoxville, Tennessee	Military - Civilian	Astro (METEOR)

ADDITIONAL REPORTED SIGHTINGS (NOT CASES)

DATE	LOCATION	SOURCE	EVALUATION
Nov	Linwood, N. J.		
2	Pacific Missile Range	(Steward Observatory, University of Arizona)	
7-8	California Area	News Clipping	
14	Argentina	" "	
15	"	" "	
16	"	" "	
16	Buenos Aires, Argentina	" "	
16	Hythe, Kent	" "	
28	Argentina	" "	

minutes and, when it was realized the object was not properly identified as a KC-135, it was called to the attention of the other passengers. The 12-year-old pronounced it a cloud. [REDACTED] was puzzled. At this time, the smoke had dissipated and there appeared to be a drogue trailing to the left of the main body. The range appeared to be closing and the object getting larger; with the sunset lighting conditions, there was no color, only a dark silhouette, which seemed to be changing rather constantly.

The object lacked symmetry throughout the entire observation and, at no time, did it have the exact appearance of any flying machine known to us. Its silhouette, however, was very definite, sharp, and left no doubt as to whether or not it was a cloud formation. It definitely was not a cloud.

As the range seemed to close, or as the object grew larger, it appeared at one point to have the shape of a small, high-wing monoplane, perhaps a half mile away.

At this point, it was decided to turn toward and clarify the situation. Immediately after turning toward, the drogue appeared to increase in size and the main body diminished in size until the drogue became as large as the original object. A minute or so later, the object began to move away, or diminish in size; always on the true bearing. We had the feeling that this object was either remaining stationary or in the same relative position to our aircraft, depending on the actual distance involved. We gave chase until the size had diminished to the